









carpet care products

Maintaining carpet at a high appearance level extends the life of carpet and protects your investment. Spartan provides the highest quality carpet care products with easy-to-follow procedures.



A Complete System For Maintaining Carpeted Flooring

Spartan's carpet care products provide the highest quality solutions with easy-to-follow procedures, insuring optimum carpet appearance and rejuvenation at minimal cost. From traditional carpet cleaning to green cleaning methods, give your carpet a high quality touch with Spartan's carpet care maintenance program – guaranteed to deep clean and beautify.

The complete line of carpet care products, including the Contempo® line, can be used for the wide variety of carpet care solutions such as: specialty spot removers, total carpet stain protection, general purpose, deep cleaning, and malodor counteractants plus, the latest in bio-augmentation and a first of its kind, Spartan's extraction carpet cleaner, CX3 Bio-assist®.





Carpet Care Products



Bonnet & Traffic Lane Carpet Cleaner

Concentrated formula provides quick solvent cleaning action, fast dry time and deodorizing freshness. A blend of dry and wet solvents quickly transfers soils from carpet to bonnet surfaces. No soapy, sticky or tacky residue remains in carpet to contribute to resoiling.

pH 8.5-9.0 | 16 - 42 oz./gal. | #3085



Carpet Stain Remover

Spartan's aerosol Carpet Stain Remover is a combination of wetting agents and solvents, providing a rapid and effective method for removal of the vast majority of commonly experienced stains. Use on coffee, cola, ink, lipstick, shoe polish, merthiolate, grease and pet stains.

pH 8.0 - 9.0 | Straight | #6374



Chewing Gum Remover

Removes chewing gum, candle wax, and other gummy substances from carpets, upholstery, wood, plastic, vinyl...nearly every surface! A combination of two liquefied gases, Spartan Chewing Gum Remover instantly freezes chewing gum, candle wax and sticky spills, such as strawberry jam or other gummy substances. The frozen brittle material can then be broken off or easily removed with a putty knife or scraper, leaving no residue.

pH N/A | Straight | #6445



Clean by Peroxy®

Clean by Peroxy is a proprietary surfactant blend combined with hydrogen peroxide. This all-purpose cleaner is formulated to quickly remove everyday soils, including greasy residues.

pH 2.0 - 3.0 | 1 - 12 oz./gal. | #0035











Contempo® Carpet Refresher

A white, fragrant, mousse-like-foam, aerosol carpet refresher. It only takes five-minutes to freshen carpets. Everyday odors like smoke, pets, cooking and musty/stale odors can become trapped in the fibers and make it smell foul and unpleasant. Freshen carpet with Contempo Carpet Refresher.

pH 7.5 – 8.0 | Straight | **#6410**



Contempo® Deluxe Spotting Kit

Addresses the most common spotting obstacles encountered when cleaning carpet. This self-contained kit comes complete with tamping brush/scraper, towel, sponge and stain removal guide. One each, 16 oz. bottle of: Coffee & Tea; Paint, Oil, Grease, Tar & Ink; Red Dye; Rust; Pet & Foul Odor; and Protein Solution. #3136



Contempo® H2O2 Spotting Solution

A convenient, ready-to-use, hydrogen peroxide-based carpet spotting solution and pre-spray treatment. Easily removes most organic spotting problems. The clear, colorless solution has a fresh crystal water fragrance. Dries to a powder.

pH 5.0 - 6.0 | Straight | #3037, #3137





Carpet Care Products



Contempo Stat®

Low foaming, carpet sanitizer/deodorizer/cleaner for use with extraction and rotary spin pad cleaning equipment. Reduces and controls the growth of odor-causing bacteria. Lifts and removes greasy soil, resists resoiling and utilizes "built-in" defoamers. EPA Reg. No. 6836-108-5741

pH 11.0 - 12.0 | 2 oz./gal. | #2980



Contempo® Tannin Browning Treatment

Mild acidic product. Use as post spray application for browning, yellowing, to neutralize alkali residue, and stabilize dyes.

pH 1.0 - 2.0 | 2 - 16 oz./gal. | #3150



Contempo V®

Low-foaming extraction cleaner concentrate formulated for stain-resistant carpet. Anionic detergents increase the negative electrostatic field between soil and stain-resistant carpet fibers, resulting in quick, effective removal of soil. Residue dries to a crystal for quick vacuuming.

pH 8.0 - 9.0 | 1 - 10 oz./gal. | #3092





Consume®

Cleaner, Odor Eliminator, Stain Remover, and Drain Maintainer. Naturally removes difficult organic soils from a variety of surfaces, including tiles, concrete, steel, and carpet. Eliminates organic build-up in drains, keeping them clear and odor-free.

pH 8.0 - 9.0 | 6 - 12 oz./gal. | #3097





CX3 Bio-assist®

A revolutionary, safe and natural approach to cleaning carpets. This product relies on a superior detergent system that rapidly penetrates and emulsifies grease, oil, and ordinary soil, facilitating easy removal through the extractor.

pH 8.0 - 9.0 | 2 oz./gal. | #3110





Defoamer

Stable, white emulsion eliminates foam in recovery tanks of hot and cold water soil extractors, automatic shampooing equipment and floor scrubbers. Time and labor saver, Spartan Defoamer assists efficient recovery and continuous equipment use. Non-corrosive. Will not harm equipment.

pH 9.0-10.0 | Straight | #3024



Carpet Care Products





Green Solutions® Carpet Cleaner

A carpet extraction cleaner that features a powerful, low-foaming surfactant system for fast, effective extraction cleaning. Quickly penetrates, emulsifies and removes soils. Non-corrosive, will not harm metal or rubber, and is safe to use on most types of carpets, including stain-resistant carpet, untreated carpet and on wool and wool-rich carpets. Use in all types of extraction equipment and may be used for bonnet cleaning. Dries to a crystal. Dye and fragrance free. Phosphate free. Biodegradable.

pH 8.0 - 9.0 | 2 oz./gal. | #3509, #3514











Plus 5®

Formulated with high foaming, synthetic wetting and drying agents, inorganic builders, buffers and solvents. Plus 5 is designed for extremely heavy-duty shampooing tasks. Fast-acting detergent complex penetrates and emulsifies grease, oil and ordinary soil. Anti-static.

pH 9.5 - 10.0 | 8 - 13 oz./gal. | #3005





SSE Carpet PreSpray & Spotter®

Ready-to-use, unique blend of solvents and crystallizing detergents provide optimum carpet maintenance at minimal cost. Use in conjunction with Spartan's Spray and Extraction carpet cleaning technique: for pretreating traffic lanes prior to shampooing or extracting; for bonnet cleaning; as a pre-oil break or general purpose spotter. Pleasant citrus fragrance.

pH 8.5 - 9.5 | Straight | #3033





Spartagard®

Spartagard carpet protector, guards carpet against soil and oil penetration. Reduces wear, prolongs carpet life and speeds the cleaning task. Proper use of Spartagard provides a 50% reduction in carpet maintenance under normal traffic conditions. Non-flammable. Anti-static.

pH 4.5 - 5.5 | 21 - 32 oz./gal. | #3072



Spotting Kit Refills

All six spotting solutions are available, per solution, twelve 16 oz. plastic bottles per case. Coffee & Tea #3138; Paint, Oil, Grease, Tar & Ink #3140; Red Dye #3142; Rust #3144; Pet & Foul Odor #3146; and Protein Solution #3148



Xtraction II®

Fast-acting, heavy-duty carpet cleaner for use with hot or cold water extractors features a power-boosting dual surfactant system. Low foaming, unique wetting agent combination leaves no residue to contribute to re-soiling. Non-corrosive.

pH 11.3 - 11.8 | 2 oz./gal. | #3096



KEY				
	Product available worldwide			
SERTINE OF	This product is Green Seal™ Certified			
US. EPA	Formulated in partnership with the Environmental Protection Agency's Design for the Environment program			
PROVE	WOOLSAFE approved maintenance product for wool and wool-rich carpets			
K	Kosher Certified			
8	The Carpet and Rug Institute Seal of Approval			

Carpet Care at a Glance

Bonnet Cleaning				
		Bonnet & Traffic Lane Cleaner Plus 5®	3085 3005	
Extraction Cleaning				
		Contempo V®	3092	
		Xtraction II®	3096	
		Contempo Stat®	2980	
		Clean by Peroxy®	0035	
		Green Solutions® Carpet Cleaner	3514	
Odor Elimination				
		CX3 Bio-Assist®	3110	
		Contempo® Carpet Refresher	6410	
		Consume®	3097	
Stain Removal				
		SSE Carpet Prespray & Spotter®	3033	
		Contempo® H2O2 Spotting Solution	3137	
		Carpet Stain Remover	6374	
		Contempo® Deluxe Spotting Kit	3186	
Specialty				
		Contempo® Tannin Browning Treatment	3150	
		Chewing Gum Remover	6445	
		Defoamer	3024	
		Spartagard®	3072	



Distributed by:

Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of these or any Spartan product. Material Safety Data Sheets for all Spartan products are available from your authorized Spartan Distributor or by visiting www.spartanchemical.com.



Spartan Chemical Company, Inc. 1110 Spartan Drive, Maumee, Ohio 43537 1-800-537-8990 www.spartanchemical.com

Contempo® Deluxe Spotting Kit SPECIALIZED SPOTTING SOLUTIONS

PRODUCT DESCRIPTION:

The Contempo Deluxe Spotting Kit addresses the most common spotting obstacles confronted when cleaning carpet. All inclusive, and contained in a travel easy case, the deluxe kit contains the tools necessary to tackle tough spotting problems.

SPECIALIZED SPOTTING SOLUTIONS:

Coffee & Tea; Paint, Oil, Grease, Tar & Ink; Red Dye; Rust; Pet & Foul Odor; and Protein Solution are all included. Accessory items designed to work on the spot are; Stain removal guide for easy "how to" and "what spotter" to use reference, tamping brush, scraper, sponge and towel.

SPOT VS. STAIN PHILOSOPHY:

Quick and timely action with superior spotting agents are the best defense for spot removal and stain prevention, as stains are merely spots that have been left untreated.

COFFEE & TEA SOLUTION:

Quickly loosens and removes stubborn coffee and tea type stains. Colorless liquid, with a fresh mint fragrance.

DIRECTIONS FOR USE: Apply with sprayer or sponge to soiled area of carpet or upholstery. Agitate with tamping brush. Let sit for 2 minutes. Extract or rinse with clear water. Repeat if needed. May be used as a pre-spray, spotter or in a steam release method.

PAINT, OIL, GREASE, TAR & INK SOLUTION:

Removes paint, oil, grease, tar and ink from carpets by dissolving and holding in suspension until soil is flushed out with water. Slightly yellow with very little odor. **DIRECTIONS FOR USE:** Apply with sprayer or sponge, do not over-saturate. Allow solution to sit for 5 minutes before removing. Use a tamping brush to agitate solution. Flush, rinse with water or extract.

RED DYE SOLUTION:

A dye remover that attacks food dye spots that cannot be removed with conventional cleaners. Treat grape juice, wine spots, cola and caramel color spots with Red Dye Solution. A colorless liquid with a fresh fragrance.

DIRECTIONS FOR USE:

Some individuals may be sensitive to ingredients in this product. Before using, read product label and MSD sheet. Wet floors may be slippery. Prevent pedestrian traffic with signs or barricades.

Read product label directions thoroughly. Directions must be followed exactly to avoid unwanted color loss or damage. Only use if other spotting solutions have been tried unsuccessfully. Before you begin, have the following items ready to use: Contempo Red Dye Solution, a steam iron and thin white cotton towels or good quality paper towels.

- 1. Apply Contempo Red Dye Solution liberally onto the spot. Work into spot with brush.
- 2. Place a wet towel (cotton or paper) over the spot.
- 3. Fill steam iron with water. Preheat to high or a hot cotton setting.
- 4. Place steam iron on towel, apply steam over spot for approximately 20 seconds. Shift and rotate towel each time iron is applied. Be sure to use a clean section
- of the towel. Keep towel wet with water and the spot wet with Contempo Red Dye Solution. After 3 or 4 applications water and product will need to be reapplied.
- 5. Once spot is removed, rinse and extract.

RUST SOLUTION:

Rust spots disappear in seconds! This fast, effective, opaque gel penetrates the spot, not the carpet backing! Safe for most fabrics.

DIRECTIONS FOR USE: Shake solution well. Apply to rust spot, allow solution to sit on the spot until it disappears. Flush with an extractor or sponge and water.

PET & FOUL ODOR SOLUTION:

General Deodorizing capabilities without heavy chemical odor. Works well on stubborn urine odor, water and fire damage odors, mold and mildew odors. Fresh, clean fragrance and neutral pH, no flash point.

DIRECTIONS FOR USE: Always use a non-atomizing sprayer/tip for application. Hard Surface, General Spraying: Mix 8 ounces per gallon of water.

Carpet Prespray, Truckmount Slurry and Clean Water Restoration: Mix 16 ounces per gallon of water, apply, wait 10 minutes and extract.

Water and Fire Damage & Unsanitary Water Restoration: Mix 32 ounces per gallon of water, apply, wait 10 minutes and extract.

Portable Extractors: Add 1 to 2 ounces to solution tank.

PROTEIN SOLUTION:

Specifically designed for greasy protein stains, body oils, food residues, milk, grass and blood stains. Particularly useful, in and around, kitchen areas, high traffic lanes and upholstery. A unique combination of powder detergents, emulsifiers and enzymes. Pleasant lemon fragrance.

DIRECTIONS FOR USE: Mix 2 to 4 oz. with a gallon of warm water, apply and let stand for 20 minutes. Extract. Optimum performance is achieved at 140°F. Must be used according to directions to be effective.

SPECIFICATION DATA:

See individual spotting solution MSD sheet for further product information.

PACKAGING:

The Contempo Deluxe Spotting Kit is self contained in a sturdy hard plastic type tacklebox. All six spotting solutions are packaged in 16 oz plastic bottles. Spotting Solutions Refills for the Contempo Deluxe Spotting Kit are available by the single item, twelve 16 oz. bottles per case.

Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of this or any Spartan product. If questions remain, consult your employer or a physician. Material Safety Data Sheets for all Spartan products are available from your authorized Spartan distributor or by visiting www.spartanchemical.com.

GUARANTEE:

Spartan's modern manufacturing and laboratory control insure uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within one year of the date of manufacture.

©SCC 3/09