

# **SAFETY DATA SHEET**

**Issuing Date** January 5, 2015 **Revision Date** New **Revision Number** 0

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name Pro-Strength Liquid-Plumr® Double Impact™ 23" Snake + Gel System Clog Remover

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Drain cleaner/opener

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Address** 

The Clorox Company 1221 Broadway Oakland, CA 94612

Phone: 1-510-271-7000

**Emergency telephone number** 

**Emergency Phone Numbers** For Medical Emergencies, call: 1-800-446-1014

For Transportation Emergencies, call Chemtrec: 1-800-424-9300

# 2. HAZARDS IDENTIFICATION

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

#### GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal word Danger

#### Hazard Statements

Causes severe skin burns and eye damage Causes serious eye damage



Appearance Clear, pale yellow

Physical State Viscous liquid

Odor Bleach

### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves, protective clothing, face protection, and eye protection such as safety glasses.

# **Precautionary Statements - Response**

Immediately call a poison center or doctor.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Wash contaminated clothing before reuse.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Specific treatment (see supplemental first aid instructions on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# **Precautionary Statements - Storage**

Store locked up.

### **Precautionary Statements - Disposal**

Dispose of contents in accordance with all applicable federal, state, and local regulations.

### Hazards not otherwise classified (HNOC)

Although not expected, heart conditions or chronic respiratory problems such as asthma, chronic bronchitis, or obstructive lung disease may be aggravated by exposure to high concentrations of vapor or mist.

#### **Unknown Toxicity**

Not applicable.

### Other information

Very toxic to aquatic life with long lasting effects.

Keep children away from basins containing this product.

Do not use with a plunger or in toilets.

#### **Interactions with Other Chemicals**

Reacts with other household chemicals such as ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers to produce hazardous gases, such as chlorine and other chlorinated compounds.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Sodium hypochlorite	7681-52-9	5 - 10	*
Sodium hydroxide	1310-73-2	1 - 2.5	*
Myristamine oxide	3332-27-2	0.5 - 1.5	*
Lauramine oxide	1643-20-5	0.5 - 1.5	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

**General Advice** Show this safety data sheet to the doctor in attendance.

**Eye Contact** Flush immediately with water for at least 15 minutes. If wearing contact lenses, remove

after first 5 minutes. Call a doctor or poison control center immediately.

Skin Contact Remove contaminated clothing. Wash immediately with water. Call a doctor or poison

control center immediately.

Inhalation Move to fresh air. If breathing is affected, call a doctor.

Drink a glassful of water. DO NOT induce vomiting unless told to do so by a poison control Ingestion

center or doctor. Call a doctor or poison control center immediately.

**Protection of First-aiders** Avoid contact with skin, eyes, and clothing. Use personal protective equipment as

required. Wear personal protective clothing (see section 8).

### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** 

**Effects** 

Burning of eyes and skin.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Use of gastric lavage or emesis is contraindicated.

### 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **Unsuitable Extinguishing Media**

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific Hazards Arising from the Chemical

This product causes burns to eyes, skin, and mucous membranes. Thermal decomposition can release sodium chlorate and irritating gases and vapors.

### **Explosion Data**

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation. Use personal

protective equipment as required. For spills of multiple products, responders should evaluate the MSDSs of the products for incompatibility with sodium hypochlorite. Breathing protection should be worn in enclosed and/or poorly-ventilated areas until hazard assessment

is complete.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental Precautions** See Section 12 for ecological Information.

# Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Absorb and containerize. Wash residual down to sanitary sewer. Contact the sanitary

treatment facility in advance to assure ability to process washed-down material.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes, and clothing. Do not eat, drink, or smoke when using this product.

# Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool, and well-ventilated place.

Incompatible Products Ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m³	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>	
Sodium hypochlorite 7681-52-9	None	None	None	
Myristamine oxide 3332-27-2	None	None	None	
Lauramine oxide 1643-20-5	None	None	None	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

#### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

# Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur: Wear safety glasses with side shields (or goggles) or face

shield.

**Skin and Body Protection** Wear rubber or neoprene gloves and protective clothing such as long-sleeved shirt.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Wash hands after direct contact. Do not wear product-contaminated clothing for prolonged

periods. Remove and wash contaminated clothing before re-use. Do not eat, drink, or

smoke when using this product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Physical and Chemical Properties**

Physical State Viscous liquid

AppearanceClearOdorBleach

Color Pale yellow Odor Threshold No information available

Property Values Remarks/ Method

pН ~13 None known Melting/freezing point No data available None known Boiling point / boiling range No data available None known Flash Point Not flammable None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

**Upper flammability limit** No data available None known Lower flammability limit No data available None known Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** ~1.1 None known Water Solubility Soluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known None known

 Decomposition temperature
 No data available

 Kinematic viscosity
 No data available

 Dynamic viscosity
 No data available

 Explosive Properties
 Not explosive

**Explosive Properties**Not explosive **Oxidizing Properties**No data available

**Other Information** 

Softening Point

VOC Content (%)

Particle Size

Particle Size Distribution

No data available
No data available
No data available

# 10. STABILITY AND REACTIVITY

None known

None known

### Reactivity

Reacts with other household chemicals such as ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers to produce hazardous gases, such as chlorine and other chlorinated compounds.

#### Chemical stability

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

### Conditions to avoid

None known based on information supplied.

# **Incompatible materials**

Ammonia, toilet bowl cleaners, acids, and non-Liquid-Plumr® drain openers.

# **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information .

**Inhalation** Exposure to vapor or mist may irritate respiratory tract and cause coughing. Inhalation of

high concentrations may cause pulmonary edema.

**Eye Contact** Corrosive. May cause severe damage to eyes.

**Skin Contact** May cause severe irritation to skin. Prolonged contact may cause burns to skin.

**Ingestion** Ingestion may cause burns to gastrointestinal tract and respiratory tract, nausea, vomiting,

and diarrhea.

### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hypochlorite 7681-52-9	8200 mg/kg (Rat)	>10000 mg/kg (Rabbit)	-
Sodium hydroxide 1310-73-2	-	1350 mg/kg (Rabbit)	-

### Information on toxicological effects

**Symptoms** May cause redness and tearing of the eyes. May cause burns to eyes. May cause

redness or burns to skin. Inhalation may cause coughing.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

Mutagenic Effects No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Chemical Name	ACGIH	IARC	NTP	OSHA
S	odium hypochlorite 7681-52-9	-	Group 3	-	-

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive Toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic Toxicity** Carcinogenic potential is unknown.

Target Organ Effects Respiratory system, eyes, skin, gastrointestinal tract (GI).

**Aspiration Hazard** No information available.

### **Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

32 g/kg

ATEmix (dermal)

64 g/kg (ATE)

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

# Persistence and Degradability

No information available.

### **Bioaccumulation**

No information available.

### Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Dispose of in accordance with all applicable federal, state, and local regulations.

### **Contaminated Packaging**

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

# 14. TRANSPORT INFORMATION

**DOT** LIMITED QUANTITY.

<u>TDG</u>

**UN-No** UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group ||

**Description** UN1791, HYPOCHLORITE SOLUTION, 8, II

**ICAO** 

**UN-No** UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group ||

**Description** UN1791, HYPOCHLORITE SOLUTION, 8, II, MARINE POLLUTANT

**IATA** 

UN-No UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group ||

**Description** UN1791, HYPOCHLORITE SOLUTION, 8, II, MARINE POLLUTANT

**IMDG/IMO** 

**UN-No** UN1791

Proper Shipping Name HYPOCHLORITE SOLUTION

Hazard Class 8
Packing Group II
EmS No. F-A, S-B

Marine PollutantProduct is a marine pollutant according to the criteria set by IMDG/IMODescriptionUN1791, HYPOCHLORITE SOLUTION, 8, II, MARINE POLLUTANT

# 15. REGULATORY INFORMATION

### **Chemical Inventories**

TSCA All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt

from listing.

**DSL/NDSL** All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

# **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite 7681-52-9	100 lb			Х
Sodium hydroxide 1310-73-2	1000 lb			X

# CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium hypochlorite 7681-52-9	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ
Sodium hydroxide 1310-73-2	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Sodium hypochlorite 7681-52-9	Х	Х	Х	Х	
Sodium hydroxide 1310-73-2	X	X	X	X	

# **International Regulations**

# Canada WHMIS Hazard Class E - Corrosive material



# 16. OTHER INFORMATION

NFPA Health Hazard 3 Flammability 0 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazard 3 Flammability 0 Physical Hazard 0 Personal Protection B

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date New

Revision Note New

**Reference** 1052180/137156.002

# **General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**