



Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS HCS 2012

Trade name: Multi-Scrub

1 Identification of the substance/mixture and of the company/undertaking

• **1.1 Product identifier**

• **Trade name:** Multi-Scrub ST-701, ST-1371

• **Article number:** FM80

• **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

• **Application of the substance / the preparation** Heavy-Duty Foodservice Degreaser

• **1.3 Details of the supplier of the Safety Data Sheet**

• **Manufacturer/Supplier:**

Stearns Packaging Corporation
4200 Sycamore Avenue (53714)
PO Box 3216

Madison, WI 53704-0216

Phone: 800-655-5008

Email: stearns@stearnspkg.com

Website: www.stearnspkg.com

• **1.4 Emergency telephone number:**

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

• **2.1 Classification of the substance or mixture**

• **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and serious eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

• **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



C; Corrosive

R34: Causes burns.



Xn; Harmful, Irritant

R22: Harmful if swallowed. / R37: Irritating to respiratory system.

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 1)

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- **2.2 Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Benzyl alcohol
2-aminoethanol
alcohols, C9-11, ethoxylated

- **Hazard statements**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation:
H335-H336.

H302 Harmful if swallowed.

H314+H318 Causes severe skin burns and serious eye damage.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- **Precautionary statements**

P264 Wash hands thoroughly after handling.

P270 Do not eat drink or smoke when using this product.

P280 Wear protective gloves / protective clothing / eye protection.

P260 Do not breathe mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P303+P361+P353+
P363+P332+P313 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a poison center / doctor.

P305+P351+P338+
P337+P313 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center / doctor.

P301+P330+P331+
P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center / doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents / container in accordance with local regulations.

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS HCS 2012















Trade name: Multi-Scrub

(Contd. from page 2)

3 Composition/information on ingredients

• 3.2 Mixtures

• Dangerous components:

| | | |
|--|--|------|
| CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-057-00-5 | Benzyl alcohol  Xn R20/22 -----  Acute Tox. 4, H302; Acute Tox. 4, H332 | <25% |
| CAS: 68439-46-3 NLP: 500-446-0 | alcohols, C9-11, ethoxylated  Xi R38-41 -----  Eye Irrit. 2A H319, Skin Irrit. 2, H315 | <25% |
| CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 | 2-aminoethanol  C R34;  Xn R20/21/22 -----  Skin Corr. 1B, H314  Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 | <10% |
| CAS: 102-71-6 EINECS: 203-049-8 | 2,2',2''-nitrilotriethanol substance with a Community workplace exposure limit | <3% |
| CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 | ethanol  F R11 -----  Flam. Liq. 2, H225 | <3% |
| CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 | 1-methoxy-2-propanol R10-67 -----  Flam. Liq. 2, H225  STOT SE 3, H336 | <1% |
| CAS: 119345-04-9 | Benzene, 1, 1 -oxybis-,tetrapropylene derivatives, sulfonated, sodium salts  Xi R36,  Eye Irrit. 2A H319, | <10% |

• **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

• After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

(Contd. on page 4)

Safety Data Sheet
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
 GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 3)

- **After eye contact:** Remove contact lenses if worn, if possible.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
Irritant to skin and mucous membranes, Breathing difficulty, Headache, Dizziness, Cramp, Coughing, Nausea
- **Hazards**
Danger of gastric perforation.
Danger of severe eye injury.
Danger of impaired breathing.
Condition may deteriorate with alcohol consumption.
- **4.3 Indication of any immediate medical attention and special treatment needed**
Medical supervision for at least 48 hours.
Monitor circulation, possible shock treatment.
If necessary oxygen respiration treatment.

5 Fire-fighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information** Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Send for recovery or disposal in suitable receptacles.
Dispose contaminated material as waste according to item 13.
Clean the affected area carefully; suitable cleaners are:
Warm water
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 5)

Safety Data Sheet
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
 GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 4)

7 Handling and storage

• 7.1 Precautions for safe handling

- Keep receptacles tightly sealed.
- Avoid splashes or spray in enclosed areas.
- Use only in well ventilated areas.

• Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles:

- Unsuitable material for receptacle: aluminium.
- Avoid storage near extreme heat, ignition sources or open flame.

• Information about storage in one common storage facility:

- Store away from foodstuffs.
- Do not store together with alkalis (caustic solutions).
- Store away from metals.

• Further information about storage conditions:

- Store in cool, dry conditions in well sealed receptacles.
- Store receptacle in a well ventilated area.

• 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

• 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace:

100-51-6 Benzyl alcohol

| | |
|------------|-------------------------|
| WEEL (USA) | Long-term value: 10 ppm |
|------------|-------------------------|

141-43-5 2-aminoethanol

| | |
|------------|---|
| IOELV (EU) | Short-term value: 7,6 mg/m ³ , 3 ppm Long-term value: 2,5 mg/m ³ , 1 ppm Skin |
|------------|---|

| | |
|-----------|--|
| PEL (USA) | Long-term value: 6 mg/m ³ , 3 ppm |
|-----------|--|

| | |
|-----------|--|
| REL (USA) | Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 8 mg/m ³ , 3 ppm |
|-----------|--|

| | |
|-----------|--|
| TLV (USA) | Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 7.5 mg/m ³ , 3 ppm |
|-----------|--|

| | |
|-------------|---|
| EL (Canada) | Short-term value: 6 ppm Long-term value: 3 ppm |
|-------------|---|

| | |
|-------------|--|
| EV (Canada) | Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 7.5 mg/m ³ , 3 ppm |
|-------------|--|

102-71-6 2,2',2''-nitriлотriethanol

| | |
|-----------|--------------------------------------|
| TLV (USA) | Long-term value: 5 mg/m ³ |
|-----------|--------------------------------------|

| | |
|-------------|--------------------------------------|
| EL (Canada) | Long-term value: 5 mg/m ³ |
|-------------|--------------------------------------|

| | |
|-------------|--|
| EV (Canada) | Long-term value: 3.1 mg/m ³ , 0,5 ppm |
|-------------|--|

(Contd. on page 5)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 5)

| 64-17-5 ethanol | |
|--------------------------------------|---|
| PEL (USA) | Long-term value: 1900 mg/m ³ , 1000 ppm |
| REL (USA) | Long-term value: 1900 mg/m ³ , 1000 ppm |
| TLV (USA) | Short-term value: 1880 mg/m ³ , 1000 ppm |
| EL (Canada) | Short-term value: 1000 ppm |
| EV (Canada) | Long-term value: 1,900 mg/m ³ , 1,000 ppm |
| 107-98-2 1-methoxy-2-propanol | |
| IOELV (EU) | Short-term value: 568 mg/m ³ , 150 ppm Long-term value: 375 mg/m ³ , 100 ppm Skin |
| REL (USA) | Short-term value: 540 mg/m ³ , 150 ppm Long-term value: 360 mg/m ³ , 100 ppm |
| TLV (USA) | Short-term value: 369 mg/m ³ , 100 ppm Long-term value: 184 mg/m ³ , 50 ppm |
| EL (Canada) | Short-term value: 75 ppm Long-term value: 50 ppm |
| EV (Canada) | Short-term value: 550 mg/m ³ , 150 ppm Long-term value: 365 mg/m ³ , 100 ppm |

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

• **8.2 Exposure controls**

• **Personal protective equipment:**

• **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

• **Respiratory protection:**

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 6)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Contact lenses should not be worn without eye protection.



Safety glasses

- **Body protection:** Alkaline resistant protective clothing

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

- **Risk management measures**

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Liquid
Color: Light orange color

- **Odor:** Solvent-like

- **Odor threshold:** Not determined.

- **pH-value at 20 °C:** 11.5 ± 0.5 for concentrate

- **Change in condition**

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 212 °F / 100 °C

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** Not determined.

- **Decomposition temperature:** Not determined.

- **Self-igniting:** Product is not self-igniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower: Not determined.
Upper: Not determined.

- **Vapor pressure at 20 °C:** 23 hPa

- **Density at 20 °C:** 1.04 g/cm³

- **Relative density** Not determined.

- **Vapor density** Not determined.

- **Evaporation rate** Not determined.

- **Solubility in / Miscibility with water:** Fully miscible.

- **Partition coefficient**

(n-octanol/water): Not determined.

(Contd. on page 8)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 7)

- | | |
|---|--|
| <ul style="list-style-type: none"> • Viscosity: <li style="padding-left: 20px;">Dynamic: Not determined. <li style="padding-left: 20px;">Kinematic: Not determined. | |
| <ul style="list-style-type: none"> • 9.2 Other information | No further relevant information available. |

10 Stability and reactivity

- **10.1 Reactivity** Not determined.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Corrosive action on metals.
Reacts with halogenated compounds.
Reacts with strong oxidizing agents.
Reacts with strong acids.
Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid** Store away from oxidizing agents.
- **Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Nitrogen oxides (NO_x)
Hydrocarbons
Sulphur oxides (SO_x)

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

| | | |
|--|------|---------------------|
| • LD/LC50 values relevant for classification: | | |
| 100-51-6 Benzyl alcohol | | |
| Oral | LD50 | 1230 mg/kg (rat) |
| Dermal | LD50 | 2000 mg/kg (rabbit) |
| 141-43-5 2-aminoethanol | | |
| Oral | LD50 | 2050 mg/kg (rat) |
| Dermal | LD50 | 1000 mg/kg (rabbit) |

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Subacute to chronic toxicity:**
Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

(Contd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 8)

• **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Danger through skin adsorption.

- **Acute effects (acute toxicity, irritation and corrosivity):** Vapors have narcotic effect.
- **Repeated dose toxicity:** May cause damage to organs through prolonged or repeated exposure.

12 Ecological information

• **12.1 Toxicity**

• **Aquatic toxicity:** The product contains materials that are harmful to the environment.

• **12.2 Persistence and degradability** The product is partially biodegradable. Significant residuals remain.

• **12.3 Bioaccumulative potential** Does not accumulate in organisms.

• **12.4 Mobility in soil** No further relevant information available.

• **Ecotoxicological effects:**

• **Remark:**

Inhibition of the development of the biomass

Toxic for algae

• **Additional ecological information:**

• **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low waterdangerous.

This statement was deduced from the properties of the single components.

Water Hazard Class (Self-classification) in the concentrate.

Harmful to aquatic organisms

• **12.5 Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

• **13.1 Waste treatment methods**

• **Recommendation**

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

• **Uncleaned packaging:**

• **Recommendation:** Disposal must be made according to official regulations.

• **Recommended cleansing agents:** Water, if necessary together with cleansing agents.




(Contd. on page 10)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 9)

14 Transport information

| | |
|--|---|
| <ul style="list-style-type: none"> • 14.1 UN-Number • DOT, ADR, ADN, IMDG, IATA | NA1760 |
| <ul style="list-style-type: none"> • 14.2 UN proper shipping name • DOT | NA1760, Compounds, cleaning liquid, (containing monoethanolamine), 8, PG III, Ltd. Qty. |
| <ul style="list-style-type: none"> • ADR | NA1760, Compounds, cleaning liquid, (containing monoethanolamine), 8 |
| <ul style="list-style-type: none"> • IMDG, IATA | Compounds, cleaning liquid, (containing monoethanolamine) |
| <ul style="list-style-type: none"> • 14.3 Transport hazard class(es) • DOT-ROAD & RAIL ONLY | |
|  <ul style="list-style-type: none"> • Class • Label | N/A LTD. QTY. |
| <ul style="list-style-type: none"> • ADR | |
|  <ul style="list-style-type: none"> • Class • Label | 8 (C9) Corrosive substances. 8 |
| <ul style="list-style-type: none"> • IMDG, IATA | |
|  <ul style="list-style-type: none"> • Class • Label | 8 Corrosive substances. 8 |
| <ul style="list-style-type: none"> • 14.4 Packing group • DOT, ADR, IMDG, IATA | III |
| <ul style="list-style-type: none"> • 14.5 Environmental hazards: • Marine pollutant: | No |
| <ul style="list-style-type: none"> • 14.6 Special precautions for user • Danger code (Kemler): • EMS Number: | Warning: Corrosive substances. 80 F-A,S-B |
| <ul style="list-style-type: none"> • 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

(Contd. on page 11)

Safety Data Sheet
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
 GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 10)

• **Transport/Additional information:**

• **ADR**

| | |
|---------------------------|---|
| • Limited quantities (LQ) | 5L |
| • Transport category | 3 |
| • Tunnel restriction code | E |
| • UN "Model Regulation": | NA1760, Compounds, cleaning liquid, (containing monoethanolamine), 8, PG III, Ltd. Qty. |

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

• **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

• **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

• **Proposition 65 (California):**

• **Chemicals known to cause cancer:**

| | |
|-----------|-----------------------------|
| 5064-31-3 | trisodium nitrilotriacetate |
|-----------|-----------------------------|

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

• **Chemicals known to cause developmental toxicity:**

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

| | |
|---------|---------|
| 64-17-5 | ethanol |
|---------|---------|

• **Carcinogenic Categories**

• **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

• **IARC (International Agency for Research on Cancer)**

| | | |
|----------|----------------------------|---|
| 102-71-6 | 2,2',2''-nitrilotriethanol | 3 |
| 64-17-5 | ethanol | 1 |

• **TLV (Threshold Limit Value established by ACGIH)**

| | | |
|---------|---------|----|
| 64-17-5 | ethanol | A3 |
|---------|---------|----|

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

(Contd. on page 12)

Safety Data Sheet
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
 GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 11)

• OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• Canada

• Canadian Domestic Substances List (DSL)

All ingredients are listed.

• Canadian Ingredient Disclosure list (limit 0.1%)

| | |
|---------|---------|
| 64-17-5 | ethanol |
|---------|---------|

• Canadian Ingredient Disclosure list (limit 1%)

| | |
|----------|----------------------------|
| 100-51-6 | Benzyl alcohol |
| 141-43-5 | 2-aminoethanol |
| 102-71-6 | 2,2',2''-nitrioltriethanol |
| 107-98-2 | 1-methoxy-2-propanol |

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Relevant phrases

| | |
|------|--|
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H336 | May cause drowsiness or dizziness. |

| | |
|-----------|---|
| R10 | Flammable. |
| R11 | Highly flammable. |
| R20/21/22 | Harmful by inhalation, in contact with skin and if swallowed. |
| R20/22 | Harmful by inhalation and if swallowed. |
| R22 | Harmful if swallowed. |
| R34 | Causes burns. |
| R38 | Irritating to skin. |
| R41 | Risk of serious damage to eyes. |
| R52 | Harmful to aquatic organisms. |
| R67 | Vapours may cause drowsiness and dizziness. |

(Contd. on page 13)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS HCS 2012

Trade name: Multi-Scrub

(Contd. from page 12)

• **SDS File Name:** FM80 MULTI-SCRUB SDS

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

VOC: Volatile Organic Compounds (USA, EU)

• **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

Revision: 11/03/2017

Stearns Packaging Corporation makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Stearns Packaging Corporation as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Stearns Packaging Corporation assume any liability arising out of the use by others of this product referred to herein. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Stearns Packaging Corporation does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.

Multi-Scrub



Heavy-Duty Degreaser & Multi-Purpose Degreaser
Cleans ovens, deep fat fryers, floors, walls, counters, and tables
Use with a trigger spray bottle, mop, or microfiber

| ST-No. | New Item # | Case UPC No. Mfg. No. 071206 | Each UPC No. Mfg. No. 071206 | Case Size | Case Weight | Cases /Pallet | Yield |
|---------|------------|---------------------------------|---------------------------------|---|-------------|---------------|--------------|
| ST-701 | #2308701 | 008701 | N/A | 72 x 2 fl. oz. packs | 12 pounds | 75 | 1 Qt./4 Gal. |
| ST-1371 | #2313712 | 013712 | N/A | 25 x 2 fl. oz. packs w/bottle | 4.25 pounds | 162 | 1 Qt./4 Gal. |
| ST-9958 | #2999587 | 099587 | N/A | 12 x 32 oz. empty silk-screened spray bottles | 3.5 pounds | 40 | N/A |

Designed for heavy duty cleaning and degreasing of floors, walls, tables, chairs, counters, equipment tanks, and other hard non-porous surfaces. Ideal for shower stalls, machines, and heavy oil and grease areas.

Directions

For Floor Degreasing

1. Fill mop bucket to 4 gallon level with water.
2. Open pack and pour contents into mop bucket.
3. Apply mopping solution to floor.
4. Scrub with machine or deck brush.
5. Remove the solution with a mop, vacuum, or squeegee down drain.
6. Rinse with clean water.
7. Pick up solution or squeegee down drain.

For Oven Cleaning

1. Shut off gas or electric before cleaning.
2. Spray warm oven with solution from quart spray bottle.
3. Let soak for 10 minutes.
4. Re-spray and rub gently with abrasive pad.
5. Wipe surfaces with wet cloth.

For Heavy-Duty Spray Degreasing

1. Fill quart spray bottle #2999587 to fill line with water.
2. Open pack Multi-Scrub #2308701 and pour contents into spray bottle.
3. Spray surface. Let soak for heavy buildups.
4. Wipe clean and rinse.

For Deep Fryer Cleaning

1. Drain grease from fryer. Wipe out excess with paper towels.
2. Fill fryer with water (fill above frying line).
3. Add contents of one pack Multi-Scrub #2308701 per 4 gallons of water.
4. Turn on heat. Boil up to 15 minutes.
5. Stay close to watch fryer.
6. Turn off heat. Allow to cool and drain.
7. Neutralize by pouring in a solution of 1 qt. vinegar to 2 gal. water.
8. Rinse with clear water. Wipe dry with cloth

Personal Protective Equipment: Wear protective gloves and clothing. Wear protective eyewear.

Unused Product Disposal: Unused product or its solutions may be poured down the drain. Never pour unused product or its solutions down an outdoor drain.

Improper dilution or improper use of this product may result in skin and eye irritation, damage to surfaces and unsatisfactory cleaning performance.

Pack Recycling: Empty packs should be rinsed out with cold water and then placed for recycling where accepted.

Chemical Characteristics

| | |
|--|----------------------|
| Appearance | Clear, Orange Liquid |
| Biodegradable | Yes |
| Corrosive Category (Concentrate)..... | Yes |
| Corrosive Category (Use Dilution)..... | Yes |
| DEA-Free | Yes |
| Fragrance | None |
| Non-Acid | Yes |
| Non-Butyl | Yes |
| Non-Flammable | Yes |
| NPE-Free | Yes |
| pH (Concentrate)..... | 11.5±0.5 |
| pH (Use Dilution)..... | 10.0-10.5 |
| Phosphate-Free | Yes |
| VOC (Concentrate) | 3% |

Ingredients

The primary ingredients in Multi-Scrub are benzyl alcohol, alcohol ethoxylate, sodium dodecyl diphenyl oxide disulfonate, and monoethanolamine.

WARNING:

This product contains a chemical or chemicals known to the State of California to cause cancer.



STEARNS PACKAGING CORPORATION

4200 Sycamore Avenue (53714) • P.O. Box 3216, Madison, Wisconsin 53704-0216

Telephone: (800) 655-5008 • (608) 246-5150 • Fax: (608) 246-5149

E-mail: stearns@stearnspkg.com • Website: <http://www.stearnspkg.com>

ONE PACKS

Dispenser-Free Control Systems®

Multi-Scrub

#2308701, 2313712

Heavy-Duty Degreaser

Safe Handling

Avoid contact with eyes.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical attention.

Personal Protective Equipment: Wear protective gloves. Wear protective eyewear.

Unused Product Disposal: Unused product or its solution may be poured down the drain. Never pour unused product or its solution down an outdoor drain.

Improper dilution or improper use of this product may result in skin and eye irritation, damage to surfaces and unsatisfactory cleaning performance.

Pack Recycling: Empty packs should be rinsed out with cold water and then placed for recycling where accepted.



WARNING: This product contains a chemical or chemicals known to the State of California to cause cancer.

DIRECTIONS



For Floor Degreasing, Fill mop bucket to 4 gallon level with water. Open pack and pour contents into mop bucket. Apply mopping solution to floor. Scrub with machine or deck brush. Remove the solution with a mop, vacuum, or squeegee down drain. Rinse with clean water. Pick up solution or squeegee down drain.

For Oven Cleaning, Shut off gas or electric before cleaning. Spray warm oven with solution from quart spray bottle. Let soak for 10 minutes. Re-spray and rub gently with abrasive pad. Wipe surfaces with wet cloth.



For Heavy-Duty Spray Degreasing, Fill quart spray bottle to fill line with water. Open pack and pour contents into spray bottle. Spray surface. Let soak for heavy buildups. Wipe clean and rinse. Empty and rinse bottle before refilling.

For Deep Fryer Cleaning, Drain grease from fryer. Wipe out excess with paper towels. Fill fryer with water (fill above frying line). Add contents of one pack per 4 gallons of water. Turn on heat. Boil up to 15 minutes. Stay close to watch fryer. Turn off heat. Allow to cool and drain. Neutralize by pouring in a solution of 1 qt. vinegar to 2 gal. water. Rinse with clear water. Wipe dry with cloth.

ONE PACKS

Dispenser-Free Control Systems®

Multi-Scrub

#2308701, 2313712

Desengrasante de Alta Resistencia

Manejo seguro

Evite el contacto con los ojos.

EN CASO DE CONTACTO CON LOS OJOS: Aclare cuidadosamente con agua durante varios minutos. Quite las lentes de contacto, si lleva y resulta fácil. Sigue aclarando. Si persiste la irritación ocular: Consulte a un médico.

Equipo de protección personal: Lleve guantes de protección. Lleve gafas de protección. **Disposición del producto no usado:** El producto no usado o sus soluciones pueden ser vertidos en el desagüe. Nunca vierta el producto no usado o sus soluciones en un desagüe exterior.

La dilución impropia o el empleo impropio de este producto pueden resultar en una irritación de la piel y de los ojos, en daño a superficies y en una limpieza insatisfactoria.

Reciclaje de paquete: Paquetes vacíos deberán ser enjuagados con agua fría y luego colocados para reciclar donde aceptado.



ADVERTENCIA: Este producto contiene un químico o varios químicos conocidos en el estado de California como sustancia cancerígena.

INTRUCCIONES



Para Desengrasar Suelos, Llène con agua la cubeta del trapero hasta el nivel de 4 galones. Abra la bolsa y vacíe el contenido a la cubeta. Aplique al suelo la solución para fregar. Friegue con la máquina o con el cepillo de cubierta. Remueva la solución con un trapero, aspiradora o escurra en el drenaje. Enjuague con agua limpia. Recoja la solución o escurra en el drenaje.

Para Limpieza de Hornos, Apague el gas o la electricidad antes de limpiar. Rocíe el horno caliente con la solución de la botella de roció de 1 cuarto. Deje remojar por 10 minutos. Rocíe nuevamente y friegue levemente con un paño abrasivo. Limpie la superficie con un paño húmedo.



Para Trabajo Pesado de Desengrase con Rociador, Llène con agua la botella de roció de un cuarto hasta la línea de llenado. Abra la bolsa y vacíe el contenido Multi-Scrub en la botella de roció. Rocíe la superficie. Deje remojar donde se ha acumulado mucha grasa. Limpie y enjuague. Vacíe y enjuague la botella antes de volver a llenarla.

Para Limpieza de Freidoras de Grasa, Drene toda la grasa de la freidora. Limpie el exceso con toallas de papel. Llène la freidora con agua (llene sobre la línea de freír). Agregue el contenido de una bolsa de Multi-Scrub por 4 galones de agua. Encienda el gas o la electricidad. Haga hervir por hasta 15 minutos. No se aleje y observe la freidora. Apague el calor. Deje que se enfríe y drene. Para neutralizar, vacíe una solución de 1 cuarto de vinagre a 2 galones de agua. Enjuague bien con agua limpia. Limpie con un paño seco.



STEARNS PACKAGING CORPORATION
P.O. Box 3216, 4200 Sycamore Avenue, Madison, Wisconsin 53704
1-800-655-5008 • www.stearnspkg.com

Rev. 0519



STEARNS PACKAGING CORPORATION
P.O. Box 3216, 4200 Sycamore Avenue, Madison, Wisconsin 53704
1-800-655-5008 • www.stearnspkg.com

Rev. 0519