

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 05-Nov-2014

1. PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against: | CLOTHESLINE FRESH OXYGEN BLEACH EP[20] 7020 Laundry bleach For Industrial and Institutional Use Only |
|---|---|
| Manufacturer/Supplier: | Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com |
| 24 Hour Emergency Phone Number Medical Emergency/Information Transportation/Spill/Leak: | |
| 2. HAZARDS IDENTIFICATIO | N |
| GHS Classification Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation: | Category 2 Category 2A |
| GHS Label Elements Signal Word: | Warning |
| Symbols: | |
| Hazard Statements: | Causes skin irritation. Causes serious eye irritation |
| Precautionary Statements: Prevention: | Wash hands and any exposed skin thoroughly after handling. Wear protective gloves Wear eye / face protection |
| Response: -Eyes | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. |
| -Skin | IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. |
| -Specific Treatment: | See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information. |
| Storage: Disposal: | Not Applicable Not Applicable |
| Hazards Not Otherwise Classified: | Not Applicable |

Other Information:

- Harmful if swallowed
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-------------------|-----------|----------|
| water | 7732-18-5 | 60-100 |
| hydrogen peroxide | 7722-84-1 | 5-10 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

| 4. FIRST AID MEASURES | | | | |
|---|--|--|--|--|
| -Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present easy to do. Continue rinsing. If eye irritation persists: Get medical attention. | | | | |
| -Skin Contact: | Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical attention. | | | |
| -Inhalation: | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell. | | | |
| -Ingestion: | Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell. | | | |
| Note to Physicians: Contains hydrogen peroxide. Ingestion may result in distention of esophag | | | | |
| 5. FIRE-FIGHTING MEASURES | | | | |
| Suitable Extinguishing Media: | Water spray (fog) Carbon dioxide Foam Dry chemical Do not use organic compounds to extinguish fire. | | | |
| Specific Hazards Arising from the Chemical: | Combustion products are toxic. Releases oxygen when heated to decomposition which may intensify fire. Risk of overpressure and bursting due to decomposition in containers, pipes and other confined spaces. | | | |
| Hazardous Combustion Products: | May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. On decomposition product releases oxygen which may intensify fire | | | |
| Protective Equipment and Precautions for Firefighters: | Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray. | | | |

6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions: | Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. |
|----------------------------|---|
| Environmental Precautions: | Do not rinse spill onto the ground, into storm sewers or bodies of water. |
| Methods for Clean-Up: | Prevent further leakage or spillage if safe to do so. Contain and collect spillage with |
| | non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) |
| | and place in container for disposal according to local / national regulations (see Section 13). |
| | Disposal container should not be made of metal. Disposal container must be vented due to |
| | possible decomposition and pressure build-up. Do not return spilled product into its original |
| | container for re-use due to possible decomposition and pressure build-up. |

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Do not return product to original container. Do not confine product in unvented containers or between closed valves. Wash thoroughly after handling.

Storage Conditions:

Store containers upright and tightly closed using vented closures to prevent pressure build-up. Store in a cool, well ventilated place. Elevated temperatures accelerate product decomposition. Do not confine product in unvented containers or between closed valves. Keep out of the reach of children. Sodium hypochlorite (or other hypochlorites). Metals.

Incompatible Materials:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

| hydrogen peroxideTWA: 1 ppmTWA: 1 ppmIDLH: 75 ppm7722-84-1TWA: 1.4 mg/m³TWA: 1 ppm | Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
|--|-------------------|------------|--------------------------------------|----------------------------|
| | hydrogen peroxide | TWA: 1 ppm | | |
| | 7722-84-1 | | TWA: 1.4 mg/m ³ | TWA: 1 ppm |
| (vacated) TWA: 1 ppm TWA: 1.4 mg/m ³ | | | (vacated) TWA: 1 ppm | TWA: 1.4 mg/m ³ |
| (vacated) TWA: 1.4 mg/m ³ | | | (vacated) TWA: 1.4 mg/m ³ | |

| Engineering Controls: | Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered. |
|---------------------------------|---|
| Personal Protective Equipment | |
| Eye/Face Protection: | Wear splash goggles. |
| Skin and Body Protection: | Wear rubber or other chemical-resistant gloves. |
| Respiratory Protection: | Not required with expected use. |
| | If occupational exposure limits are exceeded or respiratory irritation occurs, use of a |
| | NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section |
| | 3 should be considered. |
| General Hygiene Considerations: | Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance. |
| General Hygiene Considerations: | Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Liquid | |
|------------------------------|--|
| Colorless | |
| Mild | |
| 4.0-5.0 | |
| No information available. | |
| 100 °C / 212 °F | |
| > 100 °C / > 212 °F ASTM D56 | |
| < 1 (Butyl acetate = 1) | |
| No information available. | |
| 1.047 | |
| Soluble in water | |
| No information available. | |
| - | |

10. STABILITY AND REACTIVITY

| Reactivity: | No data available |
|------------------------------------|--|
| Chemical Stability: | Stable under normal conditions. |
| Possibility of Hazardous Reactions | : Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas. |
| Conditions to Avoid: | High temperature accelerates decomposition of product. Use of product in unvented |
| | systems (sealed pipes, containers and other confined spaces) risks overpressure and bursting due to decomposition. |

| Incompatible Materials: | Sodium hypochlorite (or other hypochlorites). Metals. |
|-------------------------|--|
| Hazardous Decomposition | May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors. |
| Products: | Releases oxygen when heated to decomposition which may intensify fire. |

11. TOXICOLOGICAL INFORMATION

| Likely Routes of Exposure: Symptoms of Exposure: | Eyes, Skin, Ingestion, Inhalation. |
|---|---|
| -Eve Contact: | Pain, redness, swelling of the conjunctiva and blurred vision. |
| -Skin Contact: | Pain, redness and cracking of the skin. |
| -Inhalation: | Nasal discomfort and coughing. |
| -Ingestion: | Pain, nausea, vomiting and diarrhea. Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach. |
| Immediate, Delayed, Chronic Effec | ts |
| Product Information: | Data not available or insufficient for classification. |
| Target Organ Effects: Numerical Measures of Toxicity | -Eyes. Respiratory SystemSkin. |
| The following acute toxicity estimates | (ATE) are calculated based on the GHS document. |
| ATEmix (oral): ATEmix (dermal): | 10666 mg/kg 26632 mg/kg |

Component Acute Toxicity Information

ATEmix (inhalation-dust/mist):

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|-------------------|--|-------------------|
| water 7732-18-5 | > 90 mL/kg (Rat) | Not Available | Not Available |
| hydrogen peroxide 7722-84-1 | = 801 mg/kg (Rat) | = 4060 mg/kg (Rat)= 2000 mg/kg (Rabbit) | = 2 mg/L (Rat)4 h |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

| Ecotoxicity | | | | |
|--------------------------------|---|--|-------------------------------|---|
| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
| hydrogen peroxide 7722-84-1 | 2.5: 72 h Chlorella vulgaris mg/L EC50 | 16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static | Not Available | 7.7: 24 h Daphnia magna mg/L EC50 18 - 32: 48 h Daphnia magna mg/L EC50 Static |

Persistence and Degradability: No information available. Bioaccumulation: No information available.

Other Adverse Effects:

No information available.

27 mg/l

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Proper Shipping Name: Not Regulated Non-Hazardous Products

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

<u>SARA 313</u>

This product does not contain listed substances above the "de minimus" level

| SARA 311/312 Hazard Categories | |
|------------------------------------|-----|
| Acute Health Hazard: | Yes |
| Chronic Health Hazard: | No |
| Fire Hazard: | No |
| Sudden release of pressure hazard: | No |
| Reactive Hazard: | Yes |

California Proposition 65

This product does not contain any Proposition 65 chemicals

| 16. OTHER INFORMATION | | | | | | |
|---|--|------------------------------------|---------------------------------------|--------------|--|--|
| NFPA HMIS | Health Hazards: 2 Health Hazards: 2 | Flammability: 0 Flammability: 0 | Instability: 1 Physical Hazards: 1 | Special: N/A | | |
| Revision Date: Reasons for Revision: | 05-Nov-2014 No information available. | | | | | |

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet