



# Safety Data Sheet

## Spartan Chemical Company, Inc.

Revision Date: 30-Jul-2015

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier**

**Product Name:** PAA SANITIZER FP  
**Product Number:** 3139  
**Recommended Use:** No Rinse Sanitizer  
Disinfectant  
**Uses Advised Against:** For Industrial and Institutional Use Only  
**Manufacturer/Supplier:** Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, Ohio 43537 USA  
800-537-8990 (Business hours)  
[www.spartanchemical.com](http://www.spartanchemical.com)

**24 Hour Emergency Phone Numbers:**

**Medical Emergency/Information:** 888-314-6171  
**Transportation/Spill/Leak:** CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

**GHS Classification**

Skin Corrosion/Irritation: Category 1  
Serious Eye Damage/Eye Irritation: Category 1  
Specific Target Organ Toxicity (Single Exposure): Category 3  
Oxidizing Liquids: Category 2

**GHS Label Elements**

**Signal Word:**

**Danger**

**Symbols:**



**Hazard Statements:**

Causes severe skin burns and serious eye damage.  
May cause respiratory irritation  
May intensify fire; oxidizer

**Precautionary Statements:**

**Prevention:**

Do not breathe mist, vapors or spray.  
Wash hands and any exposed skin thoroughly after handling.  
Wear protective gloves. Wear eye / face protection. Wear protective clothing.  
Use only outdoors or in a well-ventilated area.  
Keep away from heat  
Keep away from clothing/combustible materials.  
Take any precaution to avoid mixing with combustibles .

**Response:**

**IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.**

**-Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**-Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

<b>-Inhalation:</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
<b>-Ingestion:</b>	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
<b>-Specific Treatment:</b>	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
<b>Fire:</b>	In case of fire: Use water spray (fog), carbon dioxide, foam, dry chemical for extinction, Do not use organic compounds to extinguish fire
<b>Storage:</b>	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
<b>Disposal:</b>	Dispose of contents and container in accordance with local, state and federal regulations.
<b>Hazards Not Otherwise Classified:</b>	Not Applicable
<b>Other Information:</b>	<ul style="list-style-type: none"> <li>• Corrosive.</li> <li>• Harmful if swallowed</li> <li>• Inhalation of vapors or mist may cause respiratory irritation or damage.</li> <li>• Do not mix with hypochlorite-type bleach or other household chemicals as hazardous vapors or gases may be produced.</li> <li>• Keep out of reach of children.</li> <li>• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.</li> <li>• Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach.</li> </ul>

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	40-70
hydrogen peroxide	7722-84-1	10-30
acetic acid	64-19-7	5-10
peroxyacetic acid	79-21-0	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

<b>-Eye Contact:</b>	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
<b>-Skin Contact:</b>	Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse. Discard or destroy contaminated shoes.
<b>-Inhalation:</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
<b>-Ingestion:</b>	Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.
<b>Note to Physicians:</b>	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Contains hydrogen peroxide. Ingestion may result in distention of esophagus and stomach.

### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media:</b>	Water spray (fog), Carbon dioxide, Foam, Dry chemical. Do not use organic compounds to extinguish fire
<b>Specific Hazards Arising from the Chemical:</b>	Combustion products are toxic. Releases oxygen when heated to decomposition which may intensify fire. Risk of overpressure and bursting due to decomposition in containers, pipes and other confined spaces. May cause fire in contact with wood, cardboard or other flammable organic materials.
<b>Hazardous Combustion Products:</b>	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. On decomposition product releases oxygen which may intensify fire

**Protective Equipment and Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray. Dilute with plenty of water.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.  
**Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.  
**Methods for Clean-Up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Disposal container should not be made of metal. Disposal container must be vented due to possible decomposition and pressure build-up. Do not return spilled product into its original container for re-use due to possible decomposition and pressure build-up.

## 7. HANDLING AND STORAGE

**Advice on Safe Handling:** Handle in accordance with good industrial hygiene and safety practice. Do not return product to original container. Do not confine product in unvented containers or between closed valves. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling.  
**Storage Conditions:** Store containers upright and tightly closed using vented closures to prevent pressure build-up. Store in a cool, well ventilated place. Elevated temperatures accelerate product decomposition. Do not confine product in unvented containers or between closed valves. Keep away from flammable substances. Keep out of the reach of children.  
**Incompatible Materials:** Wood, cardboard or other flammable organic materials. Sodium hypochlorite (or other hypochlorites). Metals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
hydrogen peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m <sup>3</sup> (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m <sup>3</sup>	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m <sup>3</sup>
acetic acid 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m <sup>3</sup>	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> STEL: 15 ppm STEL: 37 mg/m <sup>3</sup>

**Engineering Controls:** Provide good general ventilation.  
 If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.  
 Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.

### Personal Protective Equipment

**Eye/Face Protection:** Wear splash goggles. For severe use-conditions, wear a face shield over the goggles.  
**Skin and Body Protection:** Wear rubber or other chemical-resistant gloves. Use of impervious apron, boots and other protective equipment should be considered in order to prevent or minimize contact with this product.  
**Respiratory Protection:** If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.  
 Respirator selection must be made by a technically qualified person who is familiar with the specific work conditions.

**General Hygiene Considerations:** Wash hands and any exposed skin thoroughly after handling.  
 See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance/Physical State:</b>	Liquid
<b>Color:</b>	No information available.
<b>Odor:</b>	No information available.
<b>pH:</b>	<1.0
<b>Melting Point / Freezing Point:</b>	No information available.
<b>Boiling Point / Boiling Range:</b>	No information available. Not applicable
<b>Flash Point:</b>	No information available. Not measurable due to foam
<b>Evaporation Rate:</b>	< 1 (Butyl acetate = 1)
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper Flammability Limit:</b>	No information available.
<b>Lower Flammability Limit:</b>	No information available.
<b>Vapor Pressure:</b>	No information available.
<b>Vapor Density:</b>	No information available.
<b>Specific Gravity:</b>	1.12
<b>Solubility(ies):</b>	No information available.
<b>Partition Coefficient:</b>	No information available.
<b>Autoignition Temperature:</b>	No information available.
<b>Decomposition Temperature:</b>	> 156 F
<b>Viscosity:</b>	No information available.

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	No data available
<b>Chemical Stability:</b>	Stable under recommended storage conditions.
<b>Possibility of Hazardous Reactions:</b>	Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas. Contact with metals and organic matter may result in fire and explosion.
<b>Conditions to Avoid:</b>	High temperature accelerates decomposition of product. Use of product in unvented systems (sealed pipes, containers and other confined spaces) risks overpressure and bursting due to decomposition.
<b>Incompatible Materials:</b>	Wood, cardboard or other flammable organic materials. Sodium hypochlorite (or other hypochlorites). Metals.
<b>Hazardous Decomposition Products:</b>	May include carbon monoxide, carbon dioxide (CO <sub>2</sub> ) and other toxic gases or vapors. Releases oxygen when heated to decomposition which may intensify fire.

## 11. TOXICOLOGICAL INFORMATION

<b>Likely Routes of Exposure:</b>	Eyes, Skin, Ingestion, Inhalation.
<b>Symptoms of Exposure:</b>	
<b>-Eye Contact:</b>	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
<b>-Skin Contact:</b>	Pain, redness, blistering and possible chemical burn.
<b>-Inhalation:</b>	Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and coughing.
<b>-Ingestion:</b>	Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.
<b>Immediate, Delayed, Chronic Effects</b>	
Product Information:	Data not available or insufficient for classification.
Target Organ Effects:	-Eyes. Respiratory System. -Skin. Teeth.
<b>Numerical Measures of Toxicity</b>	
The following acute toxicity estimates (ATE) are calculated based on the GHS document.	
ATEmix (oral):	2207 mg/kg
ATEmix (dermal):	4118 mg/kg
ATEmix (inhalation-dust/mist):	6 mg/l

**Component Acute Toxicity Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg ( Rat )	Not Available	Not Available
hydrogen peroxide 7722-84-1	= 801 mg/kg ( Rat )	= 4060 mg/kg ( Rat ) = 2000 mg/kg ( Rabbit )	= 2 mg/L ( Rat ) 4 h
acetic acid 64-19-7	= 3310 mg/kg ( Rat )	= 1060 mg/kg ( Rabbit )	= 11.4 mg/L ( Rat ) 4 h
peroxyacetic acid 79-21-0	= 263 mg/kg ( Rat )	= 1410 µL/kg ( Rabbit ) = 12000 mg/kg ( Rat )	= 0.3 mg/L ( Rat ) 1 h

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
hydrogen peroxide 7722-84-1	2.5: 72 h Chlorella vulgaris mg/L EC50	16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	7.7: 24 h Daphnia magna mg/L EC50 18 - 32: 48 h Daphnia magna mg/L EC50 Static
acetic acid 64-19-7	Not Available	79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	47: 24 h Daphnia magna mg/L EC50 65: 48 h Daphnia magna mg/L EC50 Static

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Other Adverse Effects:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.

**Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

**US EPA Waste Number:** D002

## 14. TRANSPORT INFORMATION

**DOT:**

**UN/ID No:** UN3149

**Proper Shipping Name:** Hydrogen peroxide and peroxyacetic acid mixture, stabilized

**Hazard Class:** 5.1

**Subsidiary Class:** 8

**Packing Group:** II

**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

**IMDG:**

**UN/ID No:** UN3149

**Proper Shipping Name:** Hydrogen peroxide and peroxyacetic acid mixture, stabilized

**Hazard Class:** 5.1

Subsidiary hazard class 8

**Packing Group:** II

## 15. REGULATORY INFORMATION

**TSCA Status:** (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**SARA 313**

This product contains the following listed substances:

**peroxyacetic acid**

CAS No 79-21-0

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard:</b>	Yes
<b>Chronic Health Hazard:</b>	No
<b>Fire Hazard:</b>	No
<b>Sudden release of pressure hazard:</b>	No
<b>Reactive Hazard:</b>	Yes

**California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

**EPA Pesticide Registration Number:** 54289-3-5741

**EPA Statement:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through the skin. Harmful if swallowed. Do not breathe vapors or spray mist. Do not get in eyes on skin or on clothing. Wear goggles and/or face shield and rubber gloves when handling. Do not enter an enclosed area without proper respiratory protection. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

## 16. OTHER INFORMATION

**NFPA**

**Health Hazards:** 3

**Flammability:** 1

**Instability:** 1

**Special:** N/A

**HMIS**

**Health Hazards:** 3

**Flammability:** 1

**Physical Hazards:** 2

**Revision Date:**

30-Jul-2015

**Reasons for Revision:**

Section 14 and 15

**Disclaimer:**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**