



Safety Data Sheet

Spartan Chemical Company, Inc.

Revision Date: 01-Nov-2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: X-EFFECT
Product Number: 1019
Recommended Use: Disinfectant
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity - Inhalation (Dusts/Mists) Category 4
Skin Corrosion/Irritation: Category 2
Serious Eye Damage/Eye Irritation: Category 1

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements:

Harmful if inhaled.
Causes skin irritation.
Causes serious eye damage

Precautionary Statements:

Prevention:

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Wash hands and any exposed skin thoroughly after handling.
Wear eye / face protection
Wear protective gloves

Response:

-Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Skin

IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse.

-Inhalation:

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

-Specific Treatment:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Not Applicable
Disposal: Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information:

- Corrosive.
- Harmful if swallowed
- NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.
- Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Benzalkonium Chloride	68424-85-1	1-5
C9-11 Pareth-6	68439-46-3	1-5
Isopropyl Alcohol	67-63-0	0.1-1
Citric Acid	77-92-9	0.1-1
Fragrance	PROPRIETARY	<0.1
Sodium Hydroxide	1310-73-2	<0.1
Colorant	PROPRIETARY	<0.1
Acid Blue 9	3844-45-9	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Skin Contact: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation occurs: Get medical attention.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.

-Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

Note to Physicians: NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire

Specific Hazards Arising from the Chemical: Dried product is capable of burning. Combustion products are toxic.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters: Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Environmental Precautions: Do not rinse spill onto the ground, into storm sewers or bodies of water.

Methods for Clean-Up: Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.
Suggested Shelf Life:	1 year from date of manufacture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
Personal Protective Equipment	
Eye/Face Protection:	Wear splash goggles.
Skin and Body Protection:	Wear rubber or other chemical-resistant gloves.
Respiratory Protection:	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General Hygiene Considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Purple
Odor:	Pleasant
pH:	5.0-5.8
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F Estimated
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.994
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition Products:	May include carbon monoxide, carbon dioxide (CO ₂) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
-Skin Contact:	Pain, redness and cracking of the skin.
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effects	
Product Information:	Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	8867 mg/kg
ATEmix (dermal):	24444 mg/kg
ATEmix (inhalation-dust/mist):	1.1 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Benzalkonium Chloride 68424-85-1	= 426 mg/kg (Rat)	Not Available	Not Available
C9-11 Pareth-6 68439-46-3	= 1400 mg/kg (Rat)	Not Available	Not Available
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
Citric Acid 77-92-9	= 3 g/kg (Rat)	Not Available	Not Available
Sodium Hydroxide 1310-73-2	Not Available	= 1350 mg/kg (Rabbit)	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50 1000: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	9640: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 11130: 96 h <i>Pimephales promelas</i> mg/L LC50 static 1400000: 96 h <i>Lepomis macrochirus</i> µg/L LC50	Not Available	13299: 48 h <i>Daphnia magna</i> mg/L EC50
Citric Acid 77-92-9	Not Available	1516: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	Not Available	Not Available
Sodium Hydroxide 1310-73-2	Not Available	45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	Not Available	Not Available

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated
Proper Shipping Name: Non Hazardous Product
Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

IMDG: Not Regulated
Proper Shipping Name: Non Hazardous Product

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)
 All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 5741-20

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

DANGER. Corrosive. Causes irreversible eye damage. Harmful if absorbed through the skin. Harmful if swallowed. Do not get in eyes, skin or on clothing. Wear protective eye wear (goggles/face shield/safety glasses), rubber gloves and protective clothing. After product is diluted in accordance with the directions for use, protective eye wear is not required. Wash thoroughly with soap and water after handling and before eating, drinking, smoking tobacco, chewing gum, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

16. OTHER INFORMATION

NFPA	Health Hazards: 3	Flammability: 0	Instability: 0	Special: N/A
HMIS	Health Hazards: 3	Flammability: 0	Physical Hazards: 0	

Revision Date: 01-Nov-2018
Reasons for Revision: New product

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



HOJA DE DATOS DE SEGURIDAD

Spartan Chemical Company, Inc.

Fecha de revisión 01-nov-2018

1. Identificación del producto y de la empresa

Identificador del producto

Nombre del producto: X-EFFECT
Product Number: 1019
Uso recomendado: Desinfectante
Usos contraindicados: Para Uso Industrial e Institucional Solamente

Empresa: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

Número de teléfono de emergencia disponible las 24 horas:
Emergencias Médicas/Información: 888-314-6171
Transporte/Derrames/Fugas: CHEMTREC 800-424-9300

2. Identificación de riesgos

Clasificación GHS

Toxicidad aguda, inhalación (polvos y vaporizaciones) Categoría 4
corrosión/irritación cutánea Categoría 2
Daño/irritación grave de los ojos Categoría 1

GHS Elementos de la etiqueta

Palabra de advertencia

Símbolos:

Peligro



Declaraciones sobre riesgos

NOCIVO SI SE INHALA.
Provoca irritaciones de la piel
Provoca lesiones oculares graves

Declaraciones de precaución

Prevención

Evitar respirar el polvo/el humo/el gas/la niebla/los vapores/el aerosol
Utilizar únicamente en exteriores o en un lugar bien ventilado
Lávese a fondo las manos y cualquier expuesto piel después de la manipulación.
Use protección para el rostro / los ojos
Llevar guantes protectores

Respuesta

-Ojos

SI ENTRA EN CONTACTO CON LOS OJOS: Enjuáguese cuidadosamente con agua durante varios minutos. Quítese las lentes de contacto, si las tiene puestas y es fácil hacerlo. Siga enjuagándose. LLAME INMEDIATAMENTE A UN CENTRO DE ENVENENAMIENTO O A UN MÉDICO.

-Piel

EN CASO DE CONTACTO CON LA PIEL (o el pelo): Lavar con agua y jabón abundantes
Si se irrita la piel: Busque atención médicos. Quitarse las prendas contaminadas y lavarlas antes de volver a usarlas

-Inhalación:	EN CASO DE INHALACIÓN: Transportar a la víctima al exterior y mantenerla en reposo en una posición confortable para respirar.
-Tratamiento específico:	Ver Hoja de Datos de Seguridad Sección 4: "Medidas de Primeros auxilios" para obtener información adicional.
Almacenamiento:	No aplicable
Eliminación:	No aplicable
Riesgos Sin Otra Clasificación:	No aplicable
Información adicional:	<ul style="list-style-type: none"> • Corrosivo. • Nocivo si se ingiere • NOTA PARA EL MÉDICO: El probable daño mucoso puede contraindicar el uso de lavado gástrico. • Mantenga lejos del alcance de los niños.

3. Composición/información sobre los ingredientes

nombre de la sustancia química:	N.º de CAS	% de peso
Agua	7732-18-5	60-100
Benzalkonium Chloride	68424-85-1	1-5
C9-11 Pareth-6	68439-46-3	1-5
Isopropyl Alcohol	67-63-0	0.1-1
Citric Acid	77-92-9	0.1-1
Fragancia	PROPRIETARY	<0.1
Sodium Hydroxide	1310-73-2	<0.1
Colorante	PROPRIETARY	<0.1
Acid Blue 9	3844-45-9	<0.1

Identidad química específica y / o porcentaje exacto de la composición ha sido retenida como secreto comercial.

4. Medidas de primeros auxilios

-Contacto con los ojos	SI ENTRA EN CONTACTO CON LOS OJOS: Enjuáguese cuidadosamente con agua durante al menos 15 minutos. Quítese las lentes de contacto, si las tiene puestas y es fácil hacerlo. Siga enjuagándose. LLAME INMEDIATAMENTE A UN CENTRO DE ENVENENAMIENTO O A UN MÉDICO.
-Contacto con la piel:	Lavar con agua y jabón abundantes Quitarse las prendas contaminadas y lavarlas antes de volver a usarlas Si se irrita la piel: Busque atención médicos.
-Inhalación:	Transportar a la víctima al exterior y mantenerla en reposo en una posición confortable para respirar. Llame a un centro de envenenamiento o a un médico si no se siente bien.
-Ingestión:	Enjuáguese la boca. NO induzca el vómito. Nunca le dé algo por boca a una persona inconsciente. Busque atención médica si no se siente bien.
Nota para médicos	NOTA PARA EL MÉDICO: El probable daño mucoso puede contraindicar el uso de lavado gástrico.

5. Medidas para combatir incendios

Medios extintores adecuados:	El producto no sostiene la combustión, Use un agente de extinción apropiado para el tipo de incendio a su alrededor
Riesgos específicos que surgen de la sustancia química	El producto seco puede quemarse. Los productos de combustión son tóxicos.
Productos de combustión peligrosos	Puede incluir Monóxido de carbono Dióxido de carbono y otros vapores tóxicos gasesor.
Equipo de protección y precauciones para las personas que combaten incendios	Usar MSHA / NIOSH equipo de respiración autónomo (SCBA) y ropa protectora completa. Enfriar los recipientes expuestos al fuego con agua pulverizada.

6. Medidas contra la liberación accidental

Precauciones personales:	Evite el contacto con la piel, los ojos o las prendas. Utilizar el equipo de protección individual obligatorio.
Precauciones ambientales	No enjuague el derrame en el suelo, hacia dentro de tormenta alcantarillas o cuerpos de agua.
Métodos de limpieza:	Evite fugas o derrames adicionales si es seguro hacerlo. Contenga y recoja el derrame con material absorbente no combustible (por ejemplo, arena, tierra, tierra de diatomeas, vermiculita) y colóquelo en un recipiente para su eliminación de acuerdo con las reglamentaciones locales o nacionales (consulte la sección 13).

7. Manipulación y almacenamiento

Consejos sobre manipulación segura	Manipule de acuerdo con las buenas prácticas de higiene y seguridad industrial. Lave bien después de su manipulación.
Condiciones de almacenamiento	Mantenga los recipientes bien cerrados en un lugar seco, fresco y bien ventilado. Debe mantenerse fuera del alcance de los niños. Debe evitar que se congele.
Vida útil Sugerida:	1 año desde la fecha de fabricación.

8. controles de exposición/protección personal

Límites de exposición ocupacional

nombre de la sustancia química:	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Controles de ingeniería:	Proporcione una buena ventilación general. Si las prácticas de trabajo genera polvo, humos, gases, vapores o nieblas que exponen a los trabajadores a los productos químicos por encima de los límites de exposición ocupacional, ventilación local, u otros controles de ingeniería deben ser considerados.
---------------------------------	---

Equipo de protección personal

Protección para el rostro y los ojos:	Utilizar gafas salpicadura.
Skin and Body Protection:	Use goma u otros químico resistentes guantes.
Protección respiratoria	No se requiere con el uso esperado. Si los límites de exposición en el trabajo o si una irritación respiratoria se produce, el uso de un respirador NIOSH/MSHA aprobado, adecuado para las condiciones de uso y los productos químicos en la Sección 3, debería considerarse.
Consideraciones generales de higiene:	Lávese a fondo las manos y cualquier expuesto piel después de la manipulación. Consulte 29 CFR 1910.132-138 para mayor orientación.

9. Propiedades físicas y químicas

Condición física:	Líquido
Color	Púrpura
Olor	Agradable
pH	5.0-5.8
Punto de fusión/punto de congelación	No hay información disponible
Punto de ebullición y rango de ebullición	100 °C / 212 °F
punto de inflamación	> 100 °C / > 212 °F Estimado
velocidad de evaporación	< 1 (Acetatos de butilo =1)
Inflamabilidad (sólido, gas)	No hay información disponible
Límites superiores de inflamabilidad	No hay información disponible
Límite inferior de inflamabilidad:	No hay información disponible
Presión de vapor	No hay información disponible
Densidad de vapor	No hay información disponible
Gravedad Específicas	0.994
Solubilidad(es)	Soluble en agua
Coeficiente de distribución:	No hay información disponible
temperatura de ignición automática	No hay información disponible
Temperatura de descomposición	No hay información disponible
Viscosidad	No hay información disponible

10. Estabilidad y reactividad

Reactividad	Este material se considera que es no reactivo en condiciones normales de uso.
Estabilidad química	Estable en condiciones normales.
Posibilidad de reacciones peligrosas	No se espera que ocurra con la manipulación y almacenamiento normal.
Condiciones que deben evitarse	Temperaturas extremas y luz directa del sol.
Materiales incompatibles:	Agentes oxidantes fuertes. Ácidos fuertes.
Productos de descomposición peligrosos:	Podría incluir monóxido de carbono, dióxido de carbono (CO ₂) y otros gases o vapores tóxicos.

11. Información toxicológica

Posibles rutas de exposición:	Ojos, piel, ingestión, inhalación.
Síntomas de exposición:	
-Contacto con los ojos	Dolor, enrojecimiento, hinchazón de la conjuntiva y daño al tejido. El contacto con los ojos puede causar un daño permanente.
-Contacto con la piel:	Dolor, enrojecimiento y agrietamiento de la piel.
-Inhalación:	Nasal malestar y tos.
-Ingestión:	El dolor, las náuseas, los vómitos y la diarrea.
Inmediatos, Tardías, Crónicas Efectos	
Información del producto	Datos no disponibles o insuficientes para la clasificación.

Medidas Numéricas de Toxicidad

Las siguientes estimaciones de la toxicidad aguda (ATE) se calculan sobre la base del documento del GHS.

Estimación de toxicidad aguda de la mezcla (ATEmix) (oral)	8867 mg/kg
Estimación de toxicidad aguda de la mezcla (ATEmix) (cutáneo)	24444 mg/kg
Estimación de toxicidad aguda de la mezcla (ATEmix) (inhalación, polvo o vaporización)	1.1 mg/l

Toxicidad Aguda Información Sobre los Componentes

nombre de la sustancia química:	Oral LD50	Cutánea LD50:	Inhalation LC50
Agua 7732-18-5	> 90 mL/kg (Rat)	no disponible	no disponible

Benzalkonium Chloride 68424-85-1	= 426 mg/kg (Rat)	no disponible	no disponible
C9-11 Pareth-6 68439-46-3	= 1400 mg/kg (Rat)	no disponible	no disponible
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
Citric Acid 77-92-9	= 3 g/kg (Rat)	no disponible	no disponible
Sodium Hydroxide 1310-73-2	no disponible	= 1350 mg/kg (Rabbit)	no disponible

carcinogenicidad Ninguno de los componentes presentes en el 0,1% o más se enumeran como carcinógenos por ACGIH, IARC, NTP u OSHA.

12. Información ecológica

Ecotoxicidad

nombre de la sustancia química:	Algas/plantas acuáticas	Peces	Toxicidad para microorganismos	Crustáceos
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	no disponible	13299: 48 h Daphnia magna mg/L EC50
Citric Acid 77-92-9	no disponible	1516: 96 h Lepomis macrochirus mg/L LC50 static	no disponible	no disponible
Sodium Hydroxide 1310-73-2	no disponible	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	no disponible	no disponible

Persistencia y degradabilidad No hay información disponible.

Bioacumulación: No hay información disponible.

Otros efectos adversos No hay información disponible

13. Consideraciones para la eliminación

Eliminación de residuos Debe desecharse de acuerdo con las reglamentaciones federales, estatales y locales.

Contaminated Packaging: Debe desecharse de acuerdo con las reglamentaciones federales, estatales y locales.

14. Información de transporte

DOT No Reglamentado

Nombre de embarque adecuado Non Hazardous Product

Disposiciones especiales El envío descripciones pueden variar según el modo de transporte, las cantidades, tamaño del paquete, y / o el origen y el destino. Consulte con un experto en materiales peligrosos transporte capacitado para obtener información específica de su situación.

IMDG: No Reglamentado

Nombre de embarque adecuado Non Hazardous Product

15. información sobre reglamentaciones

TSCA Estado: (Sustancias Tóxicas Ley de Control de la Sección 8 (b) Inventario)

Todas las sustancias químicas de este producto están incluidos o exentos de la lista de inventario de TSCA de sustancias químicas.

SARA 313

Este producto no contiene sustancias que figuran por encima del nivel "de minimus"

Categorías de riesgo de SARA**311/312**

Riesgo agudo para la salud:	Sí
Riesgo crónico para la salud:	n.º
Riesgo de incendio:	n.º
Riesgo de liberación repentina de presión	n.º
Peligro reactivo	n.º

Proposición de California 65:

Este producto no está sujeto a requisitos de advertencia bajo la Proposición 65 de California.

EPA Pesticide Número de Registro: 5741-20

Declaración de la EPA:

Este producto químico es un producto pesticida registrado por la Agencia de Protección del Medio Ambiente y está sujeta a determinados requisitos de etiquetado bajo las leyes federales de pesticidas. Estos requisitos difieren de los criterios de clasificación y la información sobre riesgos necesarios para las fichas de datos de seguridad, y el lugar de trabajo las etiquetas de otras sustancias no pesticidas. A continuación se presenta la información sobre los peligros como se requiere en la etiqueta del pesticida:

EPA Pesticida Etiqueta:

DANGER. Corrosive. Causes irreversible eye damage. Harmful if absorbed through the skin. Harmful if swallowed. Do not get in eyes, skin or on clothing. Wear protective eye wear (goggles/face shield/safety glasses), rubber gloves and protective clothing. After product is diluted in accordance with the directions for use, protective eye wear is not required. Wash thoroughly with soap and water after handling and before eating, drinking, smoking tobacco, chewing gum, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

16. información adicional

NFPA	Riesgos a la salud: 3	Inflamabilidad: 0	Inestabilidad: 0	Especial: N/A
HMIS	Riesgos a la salud: 3	Inflamabilidad: 0	Riesgos físicos: 0	

Fecha de revisión 01-nov-2018
Razones de Revisión: Nuevo producto

Descargo de responsabilidad

La información proporcionada en esta Hoja de datos de seguridad es correcta, a nuestro leal saber y entender, en la fecha de su publicación. La información se diseñó únicamente como pauta para la manipulación, el uso, el procesamiento, el almacenamiento, la eliminación y la liberación seguros y no se debe considerar como garantía o especificación de calidad. La información se refiere solo al material específico mencionado y es posible que no sea válida para el material usado en combinación con otros materiales o en otros procesos, salvo que se especifique lo contrario en el texto.

End of Safety Data Sheet



X-EFFECT™

Neutral Cleaner Disinfectant with Fresh Lavender Fragrance



X-EFFECT is a non-alkaline disinfectant cleaner concentrate specially designed to clean and disinfect high-gloss floors, restrooms, and other non-porous surfaces. At 2 oz. per gallon X-EFFECT kills 99.9% of bacteria*** in 30 seconds. Suitable for clean-ups per the Bloodborne Pathogen Standard, X-EFFECT kills Hepatitis C Virus (HCV), Hepatitis B Virus (HBV), and HIV-1 (AIDS Virus).

EPA Registration Number: 5741-20

X-EFFECT™

FEATURES

- Sanitizes in 30 seconds***
- Bactericide/Virucide*
- Effective against antibiotic-resistant bacteria**
- Kills *Staphylococcus aureus* and *Salmonella enterica*

BENEFITS

- Retains the beauty of high-gloss floors with the added effectiveness of a disinfectant
- Formulated for use in daily maintenance programs
- Proven one-step cleaner disinfectant in the presence of moderate amounts of organic soil
- Designed to disinfect, sanitize, clean, and deodorize hard, non-porous environmental surfaces

RECOMMENDED USE

- Schools, public buildings, restaurants, bars, cafeterias, office buildings, transportation terminals, lodging/hospitality establishments, hotels, motels, churches, factories, apartment buildings, athletic/recreation facilities, and public restrooms
- Countertops, floors, walls, glazed ceramic tile, glazed porcelain, shower stalls, toilet bowls, urinals, chrome, shower curtains and doors, vanity tops, tub and sink surfaces and fixtures, bathtubs, showers, sinks, fiberglass, synthetic marble, stainless steel, glass, vinyl, and other hard, non-porous environmental surfaces

SPECIFICATION DATA

Dilution	2 oz/gal
pH	5.0 – 6.0
Color	Bright purple
Fragrance	Fresh lavender
Specific Gravity @ 24°C/75°F	1.00
Flash Point	> 100°C/212°F ASTM D56
Stability: Shelf @ 24°C/75°F	1 year minimum
Stability: Freeze/Thaw	Will withstand 3 cycles
EPA Registration Number	5741-20

EFFICACY DATA

Contact time: Leave surfaces wet for 10 minutes.

BACTERICIDAL

- *Staphylococcus aureus*
- *Salmonella enterica*

KILLS ANTIBIOTIC-RESISTANT BACTERIA

- Methicillin-resistant *Staphylococcus aureus* (MRSA)
- Vancomycin-resistant *Enterococcus faecalis* (VRE)

KILLS 99% OF BACTERIA IN 30 SECONDS

- *Staphylococcus aureus*
- *Enterobacter aerogenes*

VIRUCIDAL

- HIV-1 (AIDS Virus)
- Hepatitis B
- Hepatitis C
- Herpes simplex virus Type 2
- Influenza A2/Hong Kong Virus

ORDERING INFORMATION



#101904 #101905 #101955

ADDITIONAL RESOURCES

Scan the QR code to access this product's safety information and documentation.



*Kills Hepatitis C Virus (HCV), Hepatitis B Virus (HBV), HIV-1 (AIDS Virus), Herpes simplex Virus Type 2 and Influenza A3/Hong Kong viruses on hard, non-porous, inanimate surfaces

**Kills *Staphylococcus aureus*-MRSA and *Enterococcus faecalis*-VRE

****Staphylococcus aureus* and *Enterobacter aerogenes*

SAFETY: For institutional and industrial use only. Be sure to read all directions, precautionary and first aid statements on product labels before using this or any other Spartan product. If questions remain, consult your employer or a physician. Safety Data Sheets for all Spartan products are available from your authorized Spartan distributor and at www.spartanchemical.com. Workplace labels are available in English, Spanish, and French.

GUARANTEE: Spartan's modern manufacturing and laboratory control ensures uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within 12 months of the date of manufacture.

www.spartanchemical.com • 1-800-537-8990 • 1110 Spartan Drive, Maumee, OH 43537

© 2018 Spartan Chemical Company, Inc. All Rights Reserved. X-EFFECT is a trademark of Spartan Chemical Company, Inc.



11/18 L1019

INGREDIENT COMMUNICATION STATEMENT

X-EFFECT™

#1019

CHEMICAL NAME	CAS #	FUNCTION	DESIGNATED LISTS*
Water	7732-18-5	Diluent	
Benzalkonium Chloride	68424-85-1	Antimicrobial	
C9-11 Pareth-6	68439-46-3	Surfactant	
Isopropyl Alcohol	67-63-0	Solvent	20
Citric Acid	77-92-9	Organic Acid	
Fragrance	Not available	Fragrance Ingredient	
Sodium Hydroxide	1310-73-2	Alkalinity source	20
Colorant	Not available	Colorant	
Acid Blue 9	3844-45-9	Colorant	

*Click number for more information.

[VIEW SAFETY DATA SHEET](#)