Safety Data Sheet

1285



1 Material and Supplier Identification

Product Name:	Super Polymer 85	
Description:	Floor Finish	
Recommended use of the chemical and restrictions:	Use only for the purpose on product label. This product is prior dilution if specified on product label.	not intended to be used without
Supplier's Information:	Maintex, Inc. 13300 E. Nelson Ave City of Industry, CA 91746 800-446-1888 (Customer Service)	
Emergency Telephone:	(800) 255-3924 USA (813)248-0585 International (Chem	ntel 24 hrs)
2 Hazards Identification		
Classification of Mixture:	Eye Irritation: Category 2B Skin Irritation: Category 3	Pictogram No Pictogram
Signal Word:	WARNING	
Hazard Statements:	Causes mild skin irritation. Causes eye irritation	
Precautionary Statements		
General:	KEEP OUT OF REACH OF CHILDREN. Read label before	e use.
Prevention:	Wash hands thoroughly after handling.	
Response:	IF ON SKIN: Take off contaminated clothing and wash before real irritation persists: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes.Ren easy to do. Continue rinsing. If eye irritation persists: Get medica IF INHALED: Remove person to fresh air and keep comfortable f call a Poison Center or get medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get	nove contact lenses, if present and al attention. for breathing. If problem persists,

Hazardous Ingredients	<u>CAS Number</u>	Concentration Range %
Diethylene Glycol Monoethyl Ether	111-90-0	1-10
Tributoxy Ethyl Phosphate	78-51-3	1-5

4 First Aid Measures	6
Eye Contact:	Flush eyes with water for 15 minutes. Remove contact lenses if any.
Skin Contact:	Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water.
Inhalation	If discomfort is experienced after prolonged exposure to vapors, move person to fresh air. Get medical attention if irritation persists.
Ingestion:	Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.

5 Firefighting Measures	
Suitable Extinguishing Media:	Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)
Specific Hazards arising from the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon dioxide.
Specific Protective Equipment and Precautions for Firefighters:	Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray.

6 Accidental Release Measures
V ACCIUEIIIai Nelease Measules

Emergency Procedures:	Keep area clear of personnel until area has been properly cleaned.
Personal Precautions/ Protective Equipment:	Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.
Environmental Precautions:	If contamination of sewers or waterways has occurred, advise local emergency services.
Methods for Containment and Cleaning Up:	Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations.

7 Handling and Storage	
Precautions for Safe Handling:	Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.
Conditions for Safe Storage, Including Incompatiibiities:	Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.

See Section 10 for incompatible materials.

8 Exposure Controls/Personal Protection			
Control Parameters:			
Hazardous Ingredients	ACGIH TLV	<u>OSHA PEL</u>	NIOSH IDLH
Diethylene Glycol Monoethyl Ether	5 ppm	N/A	N/A
Tributoxy Ethyl Phosphate	N/A	N/A	N/A

Appropriate engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants.	
Personal Protection		
Eye Protection:	May use protective glasses if splashing or spray-back is likely.	
Hand Protection:	Use protective gloves when used for prolong periods or if skin sensitive.	
Skin Protection:	Use apron if splashing or spray-back is likely.	
Respiratory Protection:	Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.	
Hygiene Measures:	Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use.	

9 Physical and Chemical Properties

Physical State:	Liquid	Specific Gravity:	1.02	Vapour Pressure (mm Hg):	< 17 mm Hg
Color:	White	Evaporation Rate:	< 1	Vapour Density:	> 1
Odor:	Slight Ammonia	Solubility in Water:	Complete	Freezing Point (°F):	< 32
pH:	8.5-9.5	VOC (g/L):	N/A	Boiling Point (°F):	> 212
				Flash Point (°F):	> 200
		< means less than	>	means greater than	

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10 Stability and Reactivity

Reactivity:	No specific data
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Avoid exposure to heat and light.
Incompatible Materials:	Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum).
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

8/30/2021	1285	Super Polymer 85	Page 3 of 5

11 Toxological Information

Symptoms:						
	Eye Contact: Skin Contact: Inhalation: Ingestion:	Adverse symptoms may include the following: irritation, watering, redness Adverse symptoms may include the following: irritation, redness Adverse symptoms may include the following: respiratory tract irritation, coughing Adverse symptoms may include the following: stomach pains Causes eye irritation Causes skin irritation May cause respiratory irritation. May cause burns to mouth, throat and stomach.				
Acute Toxicity:	Eye Contact: Skin Contact: Inhalation: Ingestion:					
Toxicity Data:						
<u>Hazardous Ingi</u>	redients	Re	esult	<u>Species</u>	Dose	
Diethylene Glyc	ol Monoethyl Ether	LD	950 - Oral	Rat	5400 mg/kg	
			50-Dermal	Rabbit	9000 mg/kg	
Tributoxy Ethyl I	Phosphate	LD	9 50- Oral	Rat	3000 mg/kg	
			50- Inhalation	Rat	>6.4 mg/kg	
		LD	50- Dermal	Rabbit	> 2050 mg/kg	
Chronic Effects:	:	No known signifi	icant effects or cr	itical hazards		
12 Ecologica	al Information					
Ecotoxicity:		No data availabl	le.			
Aquatic Toxicit	ty:					
<u>Hazardous Ing</u>	<u>redients</u>	Re	<u>sult</u> <u>S</u>	pecies	<u>Dose</u>	
Diethylene Glycol Monoethyl Ether		LC	50 G	Goldfish	> 5,000 mg/L	
Tributoxy Ethyl Phosphate		LC 50 rain		ainbow trout	24 mg/l 96 hr	
		EC	C 50 D	aphnia Magna	53 mg/l 48 hr	
Other Adverse E	Effects:	No known significant effects or critical hazards.				
13 Disposal	Considerations					
Disposal Method	Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container in trash. Dispose of waste in accordance with federal, state, and local regulations.					
14 Transport	tation Informatio	on				
The classificatio	n provided may not	•	•	e transport regulations. It apply to all shipping mod	les or package sizes.	
DOT Classificati	DOT Classification: Not Regulated					
UN Number:						
Transport Hazar	Transport Hazard Class:					
Packaging Group:						
Hazardous Division:						
Hazardous Divis	sion:					
Hazardous Divis Hazardous Cont						

SARA Title III:

Contains Diethylene Glycol Monoethyl Ether

8/30/2021

1285

Yes

Super Polymer 85

Page 4 of 5

California Proposition 65: Other Regulations:	No				
16 Other Information					
HMIS/NFPA Hazard Rating:	Health: 1	Flammability: 0	Reactivity: 0		
The information contained berein is based on the data available to us. It is believed to be correct NO warranty, expressed or					

The information contained herein is based on the data available to us. It is believed to be correct. NO warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult Maintex, Inc. .

MSDS

Material Safety Data Sheet 1285

Conforms to ANSI Z-400.1-1993

Chemtel 24 Hour Emergency Response (800) 255-3924

Fulton Distributing Co.

53-603 Polk Street Coachella, CA 92236

(760) 262-6200

Product: Glisten Reflect Shine F	oor Finish Cla	assificatio	on: Polymer Floor	r Finish	B00	
2 Composition/Information on Hazardous Ingredients						
Material	CAS#	%	OSHA(PEL)	TLV(ppm)	Other	
Diethylene Glycol Ethyl Ether*	111-90-0	< 6	50 ppm	50 ppm	N/A	
Tributoxyethyl Phosphate	78-51-3	< 4	N/E	N/E	N/A	

3 Hazards Identification	
Emergency Overview: Irritant. May cause skin and eye irritation. Avoid contact with skin and eyes. CAUTION	1

Contact with Eyes: Slightly irritating.

Contact with Skin: Prolonged or repeated contact may cause irritation.

Skin Absorption: N/A

- **Ingestion Symptoms:** Product will be neutralized and coagulated by stomach acids. May irritate throat, stomach and esophagus.
- Inhalation Symptoms: Excessive exposure to mists/vapors may irritate respiratory tract and result in headache and nausea.

Chronic Effects: No data.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

4 First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention.

Skin: If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

Inhalation: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult, give oxygen and seek medical attention.

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute remaining residue. Seek medical attention.

5 Fire Fighting Measures

Flash Point(F° TCC): >200°F

Flammable Limits: LEL No Data

UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

Local exhaust

Respiratory Protection:

None

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

Wear rubber boots. Floor surfaces may be slippery. Use caution.

5/25/2011 0001 1285	Glisten Reflect Shine Floor Finish Page 2 of 3

9 Physical and Che	emical Propert	ies					
Boiling Point(F°):	>200°F	Solubility in Water:	Disperses	Odor:	Slight Ammonia		
Specific Gravity:	1.01	Volatiles(% by Wt.):	82	pH:	8 - 9		
Appearance:	Milky-white	Vapor Density:	>1	VOC:	<60 g/L		
Evaporation Rate:	<1	Vapor Pressure:	<17 mm Hg	Freezing Point(F°):	35°F		
		< means less than typical values based on mate t be construed as a guarante		vary from sample to sai			
10 Stability and Re	activity						
Stability: Stable	Со	nditions to Avoid: Heat					
Materials to Avoid	: Strong Oxidiz	ers					
Hazardous Decom	position Prod	ucts:					
Carbon, nitrogen,	phosphorous ox	kides					
Hazardous Polyme	rization:						
Will Not Occur							
11 Toxicological Ir	ofrmation						
No Toxicology Infor	mation is availal	ble.					
12 Ecological Infor	mation						
No data available.							
13 Disposal Consid	derations						
Waste Disposal Me	ethod:						
Dispose of waste	in accordance	with federal, state and local re	egulations				
14 Transport Inform	mation						
HAZMAT: No	Hazard	Code: 1285	ID Number: N/A	Hazard Class	s: N/A		
Hazardous Divisi	on: None			Packaging Group: N	/A		
Hazardous Conter	nts: None						
15 Regulatory Info	15 Regulatory Information						
Proposition 65: Not Listed.							
* This product is subject to the reporting requirements of SARA Title III.							
EPA: No							
16 Other Information	on						
HMIS/NFPA Hazard	Rating: H	ealth 1 Flammabilit	ty 0 React	ivity 0			
The information contained herein is based on the data available to us. It is believed to be correct. No warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult distributor, Fulton Distributing Co.							
MSDS Approval D	ate: 5/11/2011						
5/25/2011 000	01 1285		Glisten F	Reflect Shine Floor Fini	sh Page 3 of 3		