

Material Safety Data Sheet F-143

Revision 08.0 Revision Date: 07/11/2012

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name(s): Dry Purex® Classic All Temperature Laundry Detergent — Original Fresh Scent, Mountain Breeze, Mountain Breeze

w/Renuzit Super Odor Neutralizer, After The Rain

Dry Purex® Classic All Temperature Laundry Detergent with Bleach Alternative— Original Fresh Scent

Dry Purex® Ultra Laundry Detergent—Original Fresh Scent, Mountain Breeze, Mountain Breeze w/Renuzit Super Odor

Neutralizer

Dry Purex® with Color Safe Bleach Ultra Laundry Detergent—Original Fresh Scent Dry Purex® Ultra Laundry Detergent—For Bucket Production (Summit Advantage)

Dry Trend® Classic All Temperature Laundry Detergent

Dry Trend® Classic All Temperature Laundry Detergent with Bleach Alternative

Dry Purex® Classic Detergent with Crystals Fragrance—Lavender, Fresh Spring Waters Dry Purex® Ultra Detergent with Crystals Fragrance—Lavender, Fresh Spring Waters

Product Use: Classic and Ultra Dry Detergents

Formula IDH Number(s): 99103058, 99103059, 99103065 (Classic Purex – Original Fresh Scent); 99103062, 99103067, 99103070 (Classic Purex

– Mountain Breeze); 99103064, 99103069, 99102921 (Classic Purex Mountain Breeze w/Renuzit); 99101679, 99102836

(Classic Purex – After The Rain); 99103060, 99103061, 99103066 (Classic Purex w/BA – Original Fresh Scent);

IDH#1266148 (Ultra Purex Fresh Scent); 99103072 (Ultra Purex – Original Fresh Scent); 99103074 (Ultra Purex Mountain Breeze); 88101543, 99103076, IDH# 1267197 (Ultra Purex Mountain Breeze w/Renuzit SON); 99103073 (Ultra Purex with

Color Safe Bleach- Original Fresh Scent); 99103095 (Ultra Purex Dry Detergent for Bucket Production (Summit Advantage); 99103077, 99103078, 99103083 (Classic Trend); 99103081, 99103082, 99103084 (Classic Trend w/BA); 99103089 (Ultra Purex with Color Safe Bleach-Mountain Breeze); 1692111 (Classic Lavender); 1692121 (Classic Fresh

Spring Waters); 1692122 (Ultra Lavender); 1692123 (Ultra Fresh Spring Waters)

Company Address: The Dial Corporation, Div of Henkel Consumer Goods Inc, 19001 N. Scottsdale Road, Scottsdale, AZ 85255-9672 USA

Contact Information: Medical Emergencies: 1-888-689-9082 CHEMTREC: 1-800-424-9300 (24 hours daily)

SECTION 2: HAZARD IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION: This product is a colored or white granular material with mild odor. Direct contact with eyes may cause severe irritation. Repeated or prolonged excessive exposure with skin may cause with redness, blistering, skin damage or dermatitis. Keep out of reach of children. No significant environmental effects. Not a fire hazard. Product is stable.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this Material Safety Data Sheet differ from the requirements of the CPSC and as a result, this MSDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Regulatory Status: While this product is not considered to be hazardous under OSHA's Hazard Communication Standard (29 CFR 1900.1200), this MSDS includes valuable information that is critical for safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

Potential Health Effects

NOTE: The acute health effects described below are those which could potentially occur for the finished product. They are based on the toxicology information available for the finished product and/or each hazardous ingredient, and are consistent with the product type and the likelihood of a specific route of exposure. Known chronic health effects related to exposure to a specific ingredient are indicated.

Eye Contact: Direct contact with dusts may cause severe irritation with redness, pain, blurred vision, and possibly corneal injury.

Skin Contact: Repeated or prolonged excessive exposure may cause severe irritation with redness, blistering, skin damage or dermatitis.

Ingestion: Ingestion of large quantities may cause gastrointestinal irritation with nausea, vomiting, diarrhea and lethargy.

Inhalation: Dust may cause mucous membrane irritation with coughing and shortness of breath. Direct contact with mucous membranes may

result in burns.

Subchronic/Chronic Health Effects: None known.

Medical Conditions Generally Recognized As Being Aggravated By Exposure: Persons with history of chronic skin conditions.

Potential Environmental Effects

See Section 12: Ecological Information.

The Dial Corporation, Div of Henkel Consumer Goods Inc,	19001 N. Scottsdale Ro	oad, Scottsdale, AZ 85255-9672 USA	
Classic and Ultra Dry Detergents	07/11/2012		Page 1 of 4

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Based on our hazard evaluation, the following chemical substance(s) in this product have been identified as hazardous.

<u>Ingredient</u>	CAS Number	Percent (w/w)
Sodium Chloride	7647-14-5	30 – 60 %
Sodium Carbonate	497-19-8	10 – 30 %
Sodium Silicate	1344-09-8	10 – 30 %
Sodium Dodecylbenzenesulfonate	68081-81-2	5 – 10 %
Alcohol Ethoxylate	68551-12-2	1 – 5 %
Sodium Percarbonate	15630-89-4	1 – 5 %

SECTION 4: FIRST AID MEASURES

Eyes: Rinse Immediately rinse eyes with plenty of water for at least 15 minutes, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation persists.

Skin: Rinse affected area with mild soap and water until no evidence of product remains. Get medical attention if irritation develops.

Ingestion: Treat symptomatically and supportively. Maintain airway and respiration. If vomiting occurs, keep head below hips to prevent aspiration. Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. If unconscious, the victim should not be given anything to drink. Contact physician or local poison control center.

Inhalation: Remove from exposure area to fresh air. If any symptoms appear, get medical attention.

Note to Physician: The physician's judgment should be used to control symptoms and clinical condition based on the individual reactions of the patient.

SECTION 5: FIRE FIGHTING MEASURES

Flammable Properties

OSHA Flammability Classification: Not applicable Auto-Ignition Temperature: Not applicable Flammable/Explosive limits – lower: Not available Flammable/Explosive limits – upper: Not available

Hazardous Combustion Products: Oxides of sulfur, oxides of carbon and hydrogen sulfide.

Fire and Explosion Hazard: The fire hazard for this product has not been determined. The hazard(s) of the component(s) with the most severe hazard(s) are: Slight fire hazard when exposed to heat or flame. Dust-air mixtures may ignite or explode.

This product may contain a component which is an oxidizer. Oxidizers decompose, especially when heated, to yield oxygen or other gases which will increase the burning rate of combustible matter. Contact with easily oxidizable, organic, or other combustible materials may result in ignition, violent combustion or explosion.

Extinguishing Media

Dry chemical, carbon dioxide, water spray or regular foam.

Protection of Firefighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Move container from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Use flooding amounts of water as a fog, solid streams may be ineffective. Avoid breathing vapors; keep upwind.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Wear skin, eye and respiratory protection as recommended in Section 8. Stop or reduce any leaks if it is safe to do so. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Ensure clean-up is conducted by trained personnel only. Make sure area is slip-free before re-opening to traffic.

Environmental Precautions:

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local water treatment plant.

Methods for Containment and Clean-Up:

SMALL SPILLS: Sweep or scoop up and place into suitable clean, dry containers for reclamation or later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Sweep or scoop up. Dispose in suitable waste container. Keep unnecessary people away from spill.

SECTION 7: HANDLING AND STORAGE

Handling: Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists. Keep the containers closed when not in use. Have emergency equipment (for fires, spills, leaks, etc.) readily available.

The Dial Corporation, Div of Henkel Consumer Goods Inc, 19001 N. Scottsdale Road, Scottsdale, AZ 85255-9672 USA				
	Classic and Ultra Dry Detergents	07/11/2012		Page 2 of 4

Storage: Store in original containers in a cool dry area. Store away from excessive heat and incompatible substances. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

This product is a laundry care product. The use of this product by consumers is safe under normal and reasonable foreseen use. The information provided below refers to the occupational settings.

Worker Exposure Limits

Ingredient	ACGIH TLV	OSHA PEL	AIHA WEEL	NIOSH
Detergent Dust. Particulates Not	TWA: 10 mg/m ³ (inhalable); 3 mg/m ³	TWA: 15 mg/m³ (total dust); 5	N/A	N/A
Otherwise Specified	(respirable)	mg/m ³ (respirable fraction)	IN/A	IN/A

Engineering Controls:

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

Respirator:

If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA)

Solid

For Fire Fighting and Other Immediately Dangerous To Life or Health Conditions:

Any self-contained breathing apparatus that has a full-face piece and is operated in a pressure-demand or other positive-pressure mode. Any supplied-air respirator that has a full-face piece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure demand or other positive-pressure mode.

Clothing: Protective clothing is required where repeated or prolonged skin contact may occur.

Gloves: Chemical-resistant gloves are required where repeated or prolonged skin contact may occur.

Eye/Face Protection: Splash-proof safety glasses are required to prevent eye contact where splashing of product may occur.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored or white granular material with mild odor. Physical state: Odor: Pleasant Odor threshold:

None Not available Not available Boiling point: Evaporation rate: Melting point: Not available Vapor density: Not available Specific gravity: Not available Not available Vapor pressure: 10.6-11.4 (1% soln.) Water solubility: Complete

pH: 10.6-11.4 (1% soln.) Water solubility: Complete
Partition coefficient (n-octanol/water): Not available Viscosity (Dynamic): Not available

Flammable Properties: See Section 5

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

Conditions to Avoid: Avoid storing in direct sunlight, avoid extremes of temperature.

Incompatible Materials: Strong oxidizers and reducing agents.

Hazardous Decomposition Products: Thermal decomposition products may include toxic oxides of sulfur and carbon, and hydrogen sulfide.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur under normal temperatures and pressures.

SECTION 11: TOXICOLOGICAL INFORMATION

Product Information Summary: This product is a laundry care product. The use of this product by consumers is safe under normal and reasonable foreseen use. Direct contact with eyes may cause irritation, with possibility of corneal injury if not removed promptly. It may be harmful if swallowed. Repeated or prolonged excessive exposure with skin can result in defatting and drying which may result in irritation and dermatitis.

Component Analysis: The following toxicity information is for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

Ingredient LD50 / Draize Score Toxicity / Irritation Rating

Acute Oral Toxicity

Sodium Chloride 3,000 mg/kg (rat) Practically Non-hazardous Sodium Carbonate 4,090 mg/kg (rat) Practically Non-hazardous

Sodium Dodecylbenzenesulfonate 530 mg/kg (rat) Moderately toxic Sodium Silicate 1,153 mg/kg (rat) Moderately toxic Acute Dermal Toxicity Moderately toxic

Sodium Chloride > 10,000 mg/kg (rabbit) Non-hazardous

The Dial Corporation, Div of Henkel Consumer Goods Inc, 19001 N. Scottsdale Road, Scottsdale, AZ 85255-9672 USA

Classic and Ultra Dry Detergents

07/11/2012

Page 3 of 4

Classic and Ultra Dry Detergents

MSDS F-143 (Rev. 8)

Sensitization: This product is not considered a skin or respiratory sensitizer.

Carcinogenicity: None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the

National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).

Mutagenicity: None of the ingredients in this product are known to cause mutagenicity.

Reproductive/Fetal/Developmental effects: None of the ingredients in this product are known to have reproductive, fetal, or developmental hazards.

Target organ toxicity: None of the ingredients in this product are known to have target organ toxicity.

Epidemiological information: None of the ingredients in this product are known to have health-related information in working populations.

SECTION 12: ECOLOGICAL INFORMATION

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

Product / Ingredient LC50/EC50 (Animal Specie) **Toxicity Rating** Vertebrates Sodium Chloride 96h LC50: 9,675 (Lepomis macrochirus)(flow-through Non-hazardous Sodium Carbonate 96h LC50: 300 mg/l (Lepomis macrochirus) (static) Practically Non-hazardous 96h LC50: 3 mg/l (Oncorhynchus mykiss) (static) Sodium Dodecylbenzenesulfonate Toxic Sodium Silicate 96h LC50: 301-478 mg/l (Lepomis macrochirus) Practically Non-hazardous Invertebrates Sodium Chloride 48h EC50: 1,000 (Daphnia magna) Non-hazardous 48h EC50: 265 mg/l (Daphnia magna) Practically Non-hazardous Sodium Carbonate Sodium Dodecylbenzenesulfonate 48h EC50: 2.9 mg/l (Daphnia magna) Toxic Sodium Silicate 96h EC50: 216 mg/l (Daphnia magna) Practically Non-hazardous

Environmental Fate: No environmental fate data exists for the product. The product is anticipated to be biodegradable.

Persistence and Degradability: The persistence and degradability of this product has not been determined.

Bioaccumulation Potential: The bioaccumulation potential of this product has not been determined.

Mobility: The mobility of this product (in soil and water) has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Number and Description: Not applicable, not regulated.

Disposal Considerations:

Disposal of products: This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local

regulations.

Disposal of packages: Not applicable.

Additional information: Observe all federal, state and local regulations when storing or disposing of this substance

SECTION 14: TRANSPORT INFORMATION

DOT Transportation of Dangerous Goods - Ground

DOT Hazard Class: Not regulated Packing Group: Not applicable
DOT Proper Shipping Name: Not applicable
UN/NA Number: Not applicable

International Air Transportation (ICAO/IATA)

ICAO/IATA Hazard Class: Not regulated ICAO/IATA Proper Shipping Name: Not applicable

Water Transportation (IMO/IMDG)

IMO/IMDG Hazard Class: Not regulated IMO/IMDG Proper Shipping Name: Not applicable

SECTION 15: REGULATORY INFORMATION

Occupational Safety and Health Act:

Hazard Communication Rule, 29 CFR 1910.1200: The Occupational Safety and Health Administration (OSHA) require Material Safety Data Sheets (MSDSs) to provide information about any hazard that may be associated with the product and make this information available in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this MSDS may contain health hazard information not relevant to consumer use.

United States Regulatory Information:

Consumer Product Safety Commission (CPSC): This product is regulated as a consumer product under CPSC.

The Dial Corporation, Div of Henkel Consumer Goods Inc, 19	001 N. Scottsdale Ro	ad, Scottsdale, AZ 85255-9672 USA	
Classic and Ultra Dry Detergents	07/11/2012		Page 4 of 4

Classic and Ultra Dry Detergents

MSDS F-143 (Rev. 8)

TSCA: All components of this product are either listed on or exempt from the U.S. Toxic Substances Control Act (TSCA) chemical substance inventory.

EPA CERCLA/SARA TITLE III Superfund Amendment and Reauthorization Act: This product contains no CERCLA/SARA Title III materials

CERCLA/SARA Section 302 EHS: This product contains no extremely hazardous substances reportable under Section 302. CERCLA/SARA 311/312: This product contains no hazardous chemicals reportable under Sections 311/312.

CERCLA/SARA 313: Not applicable - Consumer product

State Regulations

California Proposition 65: This product does not contain substances listed under California Proposition 65.

Canada Regulatory Information:

Canadian Environmental Protection Act:

Inventory Status: All components of this product are listed on either the Canadian Domestic Substances List (DSL) or the Non-Domestic Substances List (NDSL).

Health Canada:

This product is not regulated by Health Canada.

Worker Hazardous Materials Information System: WHMIS Classification: Not subject to classification.

SECTION 16: OTHER INFORMATION

DISCLAIMER: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, The Dial Corporation makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular purpose. Accordingly, The Dial Corporation will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations, or warranties, either expressed or implied of merchantability, fitness for a particular purpose or of any other nature is made hereunder with respect to the information set forth herein or to the product to which the information refers.

NFPA RATINGS (Scale 0-4, where 4=high degree of hazard): HEALTH=1 FLAMMABILITY=0 REACTIVITY=0
HMIS RATINGS (Scale 0-4, where 4=high degree of hazard): HEALTH=1 FLAMMABILITY=0 REACTIVITY=0
HEALTH=1 FLAMMABILITY=0 REACTIVITY=0

Creation Date: 06/20/2002 Supercedes: Rev. 7, 12/17/2010

Revision: Updated Trade Names, Formula I.D. Numbers.