REC 04250



Material Safety Data Sheet

Section 1. Prod	duct and Company Identification		
Product Name	PROFESSIONAL EASY-OFF® HEAVY DUTY OVEN & GRILL CLEANER (AEROSOL)	MSDS#	Not available.
Product Description	Oven, grill and stainless steel cleaner.	Validation Da	ate 4/13/2004
Manufacturer	Reckitt Benckiser North America, Inc. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, N.J. 07054-0225	Print Date In case of Emergency:	4/13/2004 Telephone: 800-677-9218 (Professional Products)
Product Identifier	Not available.		•
Item Number	62338-04250-04	Transportation Emergencies:	Chemtrec: 1-800-424-9300 (U.S. & Canada) Outside the U.S & Canada (North America), call: 703-527-3887
Formula Number	367270		
UPC Number	62338-04250 (24 oz. / 680 gms.)		

Section 2. Composition and Information on Ingredients			
Name	CAS#	% by Weight	Exposure Limits: TLV/PEL
1) DIETHYLENE GLYCOL MONOBUTYL ETHER	112-34-5	5	Not available.
2) MONOETHANOLAMINE	141-43-5	1-5	TWA: 7.5 STEL: 15 (mg/m³) from ACGIH (TLV) [United States] TWA: 3 STEL: 6 (ppm) from ACGIH (TLV) [United States] TWA: 6 STEL: 15 (mg/m³) from OSHA (PEL) [United States]
3) SODIUM HYDROXIDE	1310-73-2	4-6	TWA: 3 (ppm) from OSHA (PEL) [United States] CEIL: 2 (mg/m³) from ACGIH (TLV) [United States]
4) N-BUTANE	106-97-8	4-6	TWA: 2 (mg/m³) from OSHA OSHA (PEL) [United States] TWA: 1900 (mg/m³) from ACGIH (TLV) [United States] TWA: 800 (ppm) from ACGIH (TLV) [United States]

Section 3. Hazards Identification		
Emergency Overview	DANGER: CORROSIVE. Causes burns to skin and eyes on contact. Harmful if swallowed. Contains Sodium Hydroxide (lye). Do not take internally. Do not get in eyes, on skin, on mucous membranes or on clothing.	
	Wear eye protection and long rubber gloves when handling. Avoid breathing spray mist. Do not puncture or incinerate container. Contents under pressure. KEEP OUT OF REACH OF CHILDREN.	

PROFESSIONAL EASY-OFF® HEAVY DUTY OVEN & GRILL CLEANER (AEROSOL) Page N	
Section 4. Firs	t Aid Measures
Eye Contact	IMMEDIATELY flush eyes thoroughly with water, remove any contact lenses and continue to flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
Skin Contact	Immediately flush affected area of skin thoroughly with plenty of water for least 10 minutes. If irritation persists, get medical attention.
Inhalation	If affected by inhalation, remove to fresh air. If irritation occurs or persists, contact a physician or Poison Control Center.
Ingestion	DO NOT induce vomiting. Give several glasses of water to dilute the product. Call a physician or poison control center immediately. NEVER give an unconscious person anything to ingest.

Section 5. Fire and Explosion Data		
Flammability	See Section 14 for any Shipping Classifications.	
Flash Point	Not applicable. Aerosol flame extension less than 18 inches or 45 cm.	
Explosive Limits in Air	Not available.	
Products of Combustion	Not available.	
Fire and Explosion Hazards	Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 120°F (48.8°C) may cause bursting. Never leave can on stove or near source of heat. Avoid apraying oven pilot light. Keep off all electrical connections such as heating element, thermostat, bulb receptacles, and light switches.	
Fire Fighting Media and Instructions	Use water spray, foam, dry chemical or carbon dioxide, as suitable, for the surrounding fire. Use water spray to cool fire-exposed containers.	
Special Fire Fighting Instructions	Wear self-contained positive pressure breathing apparatus and protective equipment appropriate for fighting a typical chemical fire. Move containers away from fire if possible and safe to do so. Use water spray to cool containers exposed to fire. Provide shielding for venting, rupturing or bursting containers.	

Section 6. Accidental Release Measures	
Accidental Spill	Contain all spills to prevent discharge into the environment. Ventilate the area with equipment rated for use in flammable environments.
	Small spills: Can be flushed to sanitary sewer or soaked up with absorbent material and discarded in the trash. Large spills: Soak up spills with absorbent material, shovel into waste container and flush area with plenty of water. When cleaning up spills, wear appropriate personal protective equipment such as eye protection, gloves, impervious clothing and footwear.

Section 7. Handling and Storage		
Handling and Storage	DANGER: CORROSIVE. Contains Sodium Hydroxide (Lye). Causes burns to skin and eyes on contact. Harmful if swallowed. Do not take internally. Do not get in eyes, on skin, mucous membranes or on clothing. Wear eye protection and long rubber gloves when handling. Avoid breathing spray mist. Do not puncture or incinerate container.	
	Do not expose to heat or store at temperatures above 120°F (48.8°C). Never leave can on stove or near source of heat. Store container upright in a secure area inaccessable to children and pets. Avoid freezing. KEEP OUT OF REACH OF CHILDREN.	

Ventilation Requirements	Use sufficient ventilation to keep hazardous ingredients below their Threshold Limit Values (see Section #2).
Eye Protection	Do not get in eyes. Wear eye protection when handling. Emergency responders should wear full eye and face protection.
Skin Protection	Do not get on skin. Wear long rubber gloves when handling. If clothing is contaminated, remove and wash before reuse. Emergency responders should wear impermeable gloves.
Respiratory Protection	None required in normal use. Avoid breathing spray mist. Under extreme conditions, use an appropriate NIOSH-approved respirator, as necessary.
Other Protection	Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.
Work/Hygienic Practices	Wash thoroughly with soap and water after handling.

Section 9. Physical and Chemical Properties			
Description	Liquid. (Aerosol container.)	Odor	Lemon like.
рН	13.3 [Basic.]	Color	White foam when sprayed as an aerosol.
Boiling/Condensation Point	Not available.		
Specific Gravity	1.05 (Water = 1)		
Vapor Pressure	Not available.		
Vapor Density	Not available.		
Viscosity	Not available.		
Solubility	Not available.		
Physical Chemical Comment	s Pressure in can: 21-26 psig @ 70°F		

Section 10. Stability and Reactivity Data		
Chemical Stability	The product is stable.	
Conditions of Instability	Do not expose to heat or store at temperatures above 120°F (48.8°C). Never leave can on stove or near source of heat. Avoid freezing.	
Incompatibility with Various Substances	Strong oxidizing agents or acids.	
Hazardous Decomposition Products	Carbon dioxide, carbon monoxide and unidentified organic compounds may be formed during thermal decomposition.	
Hazardous Polymerization	Will not occur.	

Section 11. Toxicological Information <u>Exposure effects</u>		
Eye Contact	Corrosive. Causes burns to eyes on contact.	
Skin Contact	Corrosive. Causes burns to skin on contact.	
Inhalation	Avoid breathing spray mist.	

Continued on Next Page

PROFESSIONAL EAS	SY-OFF® HEAVY DUTY NNFR (AEROSOL)	Page Number: 4	
gestion	May be harmful if swallowed. May cause burns to mouth, throat and stomach.		
arcinogenicity	Not listed as carcinogenic by OSHA, NTP or IARC.		
Section 12. Ecologic	al Information		
cotoxicity	Not available.		
Section 13. Disposal	Considerations		
aste Disposal	Empty container may retain vapor or product residue. Observe all labeled safand discarded. Discard individual empty container in trash.	eguards until container is empty	
	Recover large amounts of waste material and dispose of in accordance with a federal regulations. Material collected with an absorbent may be disposed of accordance with any local, state and federal regulations.	II applicable local, state and in a permitted landfill in	
Section 14. Transpo	rt Information		
OOT Classification	ORM-D		
Proper Shipping Name	Consumer Commodity		
OOT Identification Number	Not applicable		
Packing Group	Not applicable		
Maritime Transportation	Not applicable.		
Hazardous Substances Reportable Quantity	Not applicable.		
Special Provisions for Transport	ORM-D: For US Domestic Shipments Only		
TDG Classification	Consumer Commodity - Transborder Consignment		
ADR Classification	Not applicable.		
IMDG Classification	Aerosols, class 2.2 (Corrosive) UN1950-LTD QTY		
IATA Classification	FORBIDDEN FOR AIR SHIPMENT		
Section 15. Regular	ory Information		
Federal and State	SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting:		
Regulations	1) DIETHYLENE GLYCOL MONOBUTYL ETHER Not available.	5.0 Not avai	
	California Proposition 65: This product contains the following ingredients which required Drinking Water & Toxic Enforcement Act: None		
Other Classifications	WHMIS (Canada) WHMIS CLASS E: Corrosive liquid.		

Continued on Next Page


WATER CAS #: 7732-18-5
DIETHYLENE GLYCOL MONOBUTYL ETHER CAS #: 112-34-5

SODIUM HYDROXIDE CAS #: 1310-73-2 N-BUTANE CAS #: 106-97-8 MONOETHANOLAMINE CAS #: 141-43-5

New Jersey Right-To-Know Regulation:


Section 16. Other Information

HMIS (U.S.A.)



National Fire Protection Association (U.S.A.)

Health



Page Number: 5

NFPA Aerosol Level

1, per NFPA 30B

Validated by Product Safety on 4/13/2004.

Printed 4/13/2004.

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hatards and should be used with caution. Although certain hatards are information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hatards and should be used with caution. Although certain hatards are described herein, we cannot guarantee that these are the only hatards that exist.