

MATERIAL SAFETY DATA SHEET

MSDS Number 53031CWD

TMS 017

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: OZIUM GLYCOL-IZED AIR SANITIZER - ALL SIZES & FRAGRANCES (metered aerosol version) - EPA REGISTRATION # 51838-01- 9444

Manufactured by: Waterbury Companies, Inc.
P.O. Box 640
Independence, LA 70443

24-Hour Emergency Contact:
800-424-9300 or 703-527-3887
(CHEMTREC)

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components greater than 1.0% (0.1% if carcinogen or suspected carcinogen)

Component	CAS#	OSHA PEL	ACGIH TLV	Other Limits	% by wt.
Isobutane	75-28-5	N.E.	800 ppm	N.E.	15-25
Isopropanol	67-63-0	400 ppm	400 ppm	500 ppm ACGIH STEL	45-55
Non-hazardous components	N/A	N/A	N/A	N/A	5-15
Perfume Oils-Supplier Trade Secret	N/A	N.E.	N.E.	N.E.	<5
Propane	74-98-6	1000 ppm	1000 ppm	1000 ppm TWA	15-25
Triethylene Glycol	112-27-6	N.E.	N.E.	N.E.	<5

3. HAZARDS IDENTIFICATION

Warning! Flammable!

Contents under pressure, do not expose to fire or extreme heat.

When operated manually to reduce airborne odors, close doors and windows and fill average size room with mist (approximately 15 sprays). Repeat application several times daily. This will reduce the airborne odors. For manual operation to control smoke and odors, press actuator twice for average size room. If possible remove source of odor.

Potential Health Effects:

Routes of Entry: Inhalation: Yes Ingestion: Yes Skin: Yes

Health Hazards: Overexposure to Isopropanol (or its components) has apparently been found to cause the following effects in laboratory animals: Liver abnormalities, kidney damage, and central nervous system effects. Dermatitis.

Signs/symptoms of overexposure: Central nervous system effects of isopropanol (or its components) includes dizziness, weakness, fatigue, nausea, & headache. Nasal and respiratory irritation, mild skin irritation, defatting, dermatitis, eye irritation.

Medical conditions aggravated by exposure: Persons with pre-existing skin disorders, eye problems or impaired respiratory function may be more susceptible to the effects of this substance.

NFPA Hazard Ratings **Fire:** 4 **Health:** 1 **Reactivity:** 0

NFPA 704 Ratings are subject to interpretation and are only intended for general identification of the level of the specific hazard. All information must be considered for proper safe handling of the material.

4. FIRST AID MEASURES

IF IN EYES: Irrigate with plenty of water for 15 minutes. **IF ON SKIN OR CLOTHING:** Remove contaminated clothing and wash with soap and water before reuse. Wash affected areas with soap and water for 15 minutes. **IF INHALED:** Remove to fresh air. **IF SWALLOWED:** Call a physician or Poison Control Center. Do not induce vomiting. Seek medical attention if irritation persists.

5. FIRE FIGHTING MEASURES

Extinguishing Media: CO₂, dry chemical, or foam

Fire Fighting Procedures: Self contained air supply suggested. Keep containers cool to avoid bursting.

Unusual Fire and Explosion Hazards: Exposure to temperatures above 130 deg.F may cause bursting.

6. ACCIDENTAL RELEASE MEASURES

If container is ruptured or begins to leak, place in a well-ventilated area free of spark and ignition sources. Any remaining liquid should be collected with absorbent media. Dispose of unusable concentrate and absorbent media in accordance with Local, State and Federal regulations.

7. HANDLING AND STORAGE

When used in the Automatic Aerosol Dispenser, one unit should be installed for each 6,000 cubic foot closed air space. Dispenser should be 7-8 feet from the floor and directed where flow will carry the particles throughout the closed area. Factors such as air current, temperature, humidity, and conformation of treated area govern number of units required for effective control.

NFPA 30B Aerosol Classification: Level 3 Aerosol

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Gloves: Not required - avoid contact with skin.

Eye Protection: Safety glasses recommended when installing new container to avoid possible contact with eyes.

Respiratory Protection: Not required - avoid breathing spray.

Ventilation: **Local:** Not required.
Mechanical: Not required.

MATERIAL SAFETY DATA SHEET

MSDS Number 53031CWD

*Other protective equipment:**Protective Work/Hygiene Practices:* Follow label instructions.**9. PHYSICAL AND CHEMICAL PROPERTIES***Specific Gravity (H₂O=1):* 0.80*Flashpoint:* Not Applicable.*LEL:* N/A*Vapor Pressure (mm Hg):* 5,171*Boiling Point:* N/A*Melting Point:* N/A*UEL:* N/A*Solubility:* Essentially complete *Appearance/Odor:* Dry spritz with perfumed and distinct odor.**10. STABILITY AND REACTIVITY***Conditions to Avoid:* Excessive storage temperatures.*Incompatible Materials:* Strong acids such as sulfuric, hydrochloric, nitric or other chemically de-hydrating compounds.*Hazardous Decomposition By-products:* By-products of incomplete combustion may include carbon monoxide, carbon dioxide, and other unidentified organic vapors and mists.*Hazardous Polymerization Conditions:* None known.**11. TOXICOLOGICAL INFORMATION**

This product contains no chemicals that are listed on the NTP, IARC, or OSHA carcinogen lists. Any further information on the toxicology of the material can be obtained by contacting the manufacturer.

12. ECOLOGICAL INFORMATION

Please call the manufacturer for questions concerning the ecological effects of this product and its constituents.

13. DISPOSAL CONSIDERATIONS

Do not reuse empty container. This container may be recycled in the few but growing number of communities where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) Any remaining or collected liquid from punctured cans should be disposed of in a safe manner at an approved facility in accordance with Local, State, and Federal regulations. "Empty" cans may contain residue. Avoid exposure to heat, flame, sparks, and other sources of ignition.

14. TRANSPORT INFORMATION

	<i>Status</i>	<i>Shipping Name</i>	<i>Class</i>	<i>ID Number</i>	<i>Packing Gr</i>
<i>DOT (USA):</i>	Regulated	Consumer Commodity (per 49CFR173.306)	ORM-D	N/A	N/A
<i>IATA (Air):</i>	Regulated	Consumer Commodity	9	ID8000	N/A
<i>IMDG (Vessel):</i>	Regulated	Aerosols	2	UN1950	N/A
<i>National Motor Freight Classification and LTL Class:</i>		57100 Sub 3 Class 60			

15. REGULATORY INFORMATION**SARA Title III Section 312:** When completing Tier II reports, the following information should be used.

Note: See state and local regulations for specifics on reporting requirements for your facility.

This product should be described as: PURE: N MIXTURE: Y SOLID: N LIQUID: Y GAS: Y*Physical Hazards:* FIRE: Y PRESSURE: Y REACTIVITY: N *Health Hazards:* IMMEDIATE: Y DELAYED: N**16. OTHER INFORMATION****Product Sales Information:** 800-845-3495**MSDS Information:** 985-878-6751**Revision Notes:** Annual review.

MSDS Prepared by D.D.

N/A = Not Applicable N.E. = Not Established

<i>This information is provided in good faith, but no warranty, expressed or implied, is made. The manufacturer believes that it is accurate and to the best of its knowledge, and relates only to the specific material designated herein.</i>

May. 10. 2007 10:07AM

No. 1696 P. 1/1

 * 05/10/07 *
 * 295 PHALEN BLVD. *
 * ST PAUL, MN 55101 *
 * PHONE: 651/646-7933 *
 * FAX: 651/603-4877 *

P U R C H A S E O R D E R

Page: 1

Mail To: Vendor: 14015 LAGASSE INC 1339 SOLUTIONS CENTER CHICAGO IL 60677

Ship To: AMSAN ST PAUL 1930 ENERGY PARK DRIVE ST PAUL MN 55108

Attn: ALVA EXT 5895 Attn: ST PAUL MN 55108

Phone: 800/989-7487 Fax: 888/989-7487

Ship Via: FOB: DELIVERED Terms: 1/30,31

Schedule: SHIP TO ARRIVE Due Date: 05/11/07 Buyer: GATO

ATTN: ACCTS PAYABLE 33064

3031 N. ANDREWS AVENUE POMPANO BEACH, FL

AMSAN BK ACCT#10982

Billing Instructions: General Information:

Shipping Instructions: REC'D HOURS 5:30AM TO 10:30AM

Cost UM Tax Extension Due Date

Line quantity UM Item Number Vendor Item Description Pack Factor

001 4.00 CS UNS932A 932A UNS ANGLER BROOM W/ HANDLE 12.000 EA/CS 3.55 EA N 170.40 05/11/07

002 12.00 EA RCP40040RR 4004 ROCK LANDMARK AGGREGATE PANEL RIVER 1.000 EA/EA 30.00 EA N 360.00 05/11/07

003 10.00 EA RCP7086 7086 MCH RCP 7086 SHELVING 1.000 EA/EA 44.40 EA N 444.00 05/11/07

004 12.00 EA TXFDP1944ZMC 9442 TXF COLOR POLYWOOL DUSTER EXT 1.000 EA/EA 5.30 EA N 63.60 05/11/07

005 5.00 CS CDC8485600 8485600 PARSON LEMON AMMONIA 4/128 CS 1.000 CS/CS 25.01 CS N 125.05 05/11/07

006 2.00 EA ELB887 12" SANITAIRE W/DIRT CUP EA 1.000 EA/EA 159.00 EA N 318.00 05/11/07

007 1.000 CS KCC95259 95259 KC ALL IN ONE HAIR & BODY 2.5L 1.000 CS/CS 43.77 CS N 43.77 05/11/07

008 2.000 EA RCP7083 7083 RHP STORAGE SHELF RHP 7083 1.000 EA/EA 105.90 EA N 211.80 05/11/07

009 3.000 CS G0J9104-12 *G0J0 800ML WHITE SOAP 12/CS 1.000 CS/CS 49.94 CS N 149.82 05/11/07

MERCHANDISE TOTAL: 1886.44

CUBE: .00

WEIGHT: 98.40

1886.44

WE CERTIFY ALL ITEMS ARE PURCHASED FOR RESALE & ARE TAX EXEMPT-
 AMSAN BRISSMAN ST PAUL

Stanley D. Gorman
 AMSAN BRISSMAN ST PAUL

1. PLEASE ACKNOWLEDGE WITH SHIPPING DATE.
2. PACKING LIST MUST ACCOMPANY BILL OF LADING.
3. MAIL COPY OF BILL OF LADING WITH INVOICE IF SHIPPING TO ALTERNATIVE ADDRESS.
4. INVOICES DATED AFTER THE 25TH WILL BE CONSIDERED AS OF THE 1ST OF THE FOLLOWING MONTH.